

December 1994

ISSN 0165-1684
SPRODR INDEX 1-34 (1994)

SIGNAL PROCESSING

**MASTER INDEX
VOLUMES 21-40**

An International Journal

A publication of the European Association for Signal Processing (EURASIP)

ELSEVIER



SIGNAL PROCESSING

An International Journal

A publication of the European Association for Signal Processing (EURASIP)

Editor-in-Chief

Murat KUNT

Laboratoire de Traitement des Signaux
Département d'Electricité
Ecole Polytechnique Fédérale de Lausanne
Ecublens, CH-1015 Lausanne, Switzerland
Téléphone: (4121) 693 26 26
Téléfax (4121) 693 46 60
Télex: 45 40 62 epfe ch

Editorial Board

M. Bellanger (Plessis-Robinson, France)
Y. Bilinsky (Riga, Latvia)
R. Boite (Mons, Belgium)
C. Braccini (Genova, Italy)
V. Cappellini (Florence, Italy)
C.F.N. Cowan (Edinburgh, United Kingdom)
R. De Mori (Montréal, Canada)

T.S. Durrani (Glasgow, United Kingdom)
B. Escudié (Lyon, France)
O.D. Faugeras (Sophia-Antipolis, France)
A. Fettweis (Bochum, Germany)
A.R. Figueiras-Vidal (Madrid, Spain)
C. Galand (La Gaudie, France)
C. Gazanhes (Marseille, France)
G.H. Granlund (Linköping, Sweden)
C. Gueguen (Paris, France)
U. Heuvel (Kiel, Germany)
T.S. Huang (Urbana, IL, USA)
J.G. Lacoume (Grenoble, France)
M.A. Lagunas-Hernandez
(Barcelona, Spain)
S. Levialdi (Rome, Italy)
C.E. Liedtke (Hannover, Germany)
S.K. Mitra (Santa Barbara, CA, USA)
M. Nagao (Kyoto, Japan)
Y. Neuvo (Espoo, Finland)

H. Niemann (Erlangen, Germany)
F. Pellandini (Neuchâtel, Switzerland)
B. Picinbono (Gif-sur-Yvette, France)
F. Rocca (Milan, Italy)
B. Sankur (Istanbul, Turkey)
L.L. Scharf (Boulder, CO, USA)
G. Sicuranza (Trieste, Italy)
P. Stoica (Gothenburg, Sweden)
C.Y. Suen (Montréal, Canada)
H. Tiziani (Stuttgart, Germany)
A. Venetsanopoulos (Toronto, Canada)
M. Vetterli (New York, NY, USA)
G. Winkler (Karlsruhe, Germany)
D. Wolf (Frankfurt, Germany)
B. Yegnanarayana (Madras, India)
I.T. Young (Delft, The Netherlands)

Secretary: Mrs. F. Vionnet-Monterde

Editorial Policy. SIGNAL PROCESSING is an Interdisciplinary Journal presenting the theory and practice of signal processing. Its primary objectives are the following:

- Dissemination of research results and of engineering developments to all signal processing groups and individuals.
- Presentation of practical solutions to current signal processing problems in engineering and science.

The editorial policy and the technical content of the Journal are the responsibility of the Editor-in-Chief and the Editorial Board. The Journal is self-supporting from subscription income and contains a minimum amount of advertisements. Advertisements are subject to the prior approval of the Editor-in-Chief. The journal welcomes contributions from every country in the world.

Scope. SIGNAL PROCESSING incorporates all aspects of the theory and practice of signal processing (analogue and digital). It features original research work, tutorial and review articles, and accounts of practical developments. It is intended for a rapid dissemination of knowledge and experience to engineers and scientists working in signal processing research, development or practical application.

Subjects. Subject areas covered by the Journal include:

Signal Theory, Stochastic Processes, Detection and Estimation, Spectral Analysis, Filtering, Signal Processing Systems, Software Developments, Image Processing, Pattern Recognition, Optical Signal Processing, Digital Signal Processing, Multi-dimensional Signal Processing, Communication Signal Processing, Biomedical Signal Processing, Geophysical and Astrophysical Signal Processing, Earth Resources Signal Processing, Acoustic and Vibration Signal Processing, Data Processing, Remote Sensing, Signal Processing Technology, Speech Processing, Radar Signal Processing, Sonar Signal Processing, Special Signal Processing, Industrial Applications, New Applications.

Membership and Subscription Information:

Signal Processing (ISSN 0165-1684) is published in six volumes (18 issues) a year. For 1994 Volumes 35-40 are scheduled for publication. Subscription prices are available upon request from the publishers. Subscriptions are accepted on a prepaid basis only and are entered on a calendar year basis. Issues are sent by surface mail except to the following countries where air delivery (S.A.L. - Surface Air Lifted) is ensured: Argentina, Australia, Brazil, Canada, Hong Kong, India, Israel, Japan, Malaysia, Mexico, New Zealand, Pakistan, People's Rep. of China, Singapore, South Africa, South Korea, Taiwan, Thailand, USA. For the rest of the world, airmail charges are available upon request. Claims for missing issues will be honoured free of charge if made within six months after the publication date of the issues. Mail orders and inquiries to: Elsevier Science B.V., Journals Department, P.O. Box 211, 1000 AE Amsterdam, The Netherlands. For full membership information of the Association, possibly combined with a subscription at a reduced rate, please contact: EURASIP, P.O. Box 134, CH-1000 Lausanne 13, Switzerland.

US mailing notice - Signal Processing (ISSN 0165-1684) is published monthly, except semimonthly in January, March, May, July, September and November by Elsevier Science B.V., Molenwerf 1, Postbus 211, 1000 AE Amsterdam, The Netherlands. Annual subscription price in USA US \$1140 (subject to change), including air speed delivery. Second class postage rate is paid at Jamaica, NY 11431.

USA POSTMASTERS, Send address changes to Signal Processing, Publications Expediting, Inc., 200 Meacham Avenue, Elmont, NY 11003. Airfreight and mailing in the USA by Publication Expediting.

⊗ The paper used in this publication meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper).

© 1994 Elsevier Science B.V. All rights reserved

No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the publisher, Elsevier Science B.V., Copyright and Permissions Department, P.O. Box 521, 1000 AM Amsterdam, The Netherlands.

Special regulations for authors. Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

Special regulations for readers in the USA - This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923, USA. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. The fees indicated on the first page of an article in this issue will apply retroactively to all articles published in the journal, regardless of the year of publication. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the publisher for such copying.

No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein.

Although all advertising material is expected to conform to ethical standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.

SIGNAL PROCESSING

signal processing

An International Journal

A Publication of the European Association for Signal Processing (EURASIP)

Editor-in-Chief

Murat KUNT

Laboratoire de Traitement des Signaux
Département d'Electricité
Ecole Polytechnique Fédérale de Lausanne
Ecublens
CH-1015 Lausanne, Switzerland
Tél: (4121) 693 26 26
Télex: 45 40 62 epfe ch
Téléfax: (4121) 693 46 60

Editorial Board

M. Bellanger (Paris, France)
Y. Bilinsky (Riga, Latvia)
R. Boite (Mons, Belgium)
C. Braccini (Genova, Italy)
V. Cappellini (Florence, Italy)
G. Carayannis (Athens, Greece)
C.F.N. Cowan (Edinburgh, United Kingdom)
R. De Mori (Montréal, Canada)
T.S. Durrani (Glasgow, United Kingdom)
B. Escudié (Lyon, France)
O.D. Faugeras (Sophia-Antipolis, France)
A. Fettweis (Bochum, Germany)
A.R. Figueiras-Vidal (Madrid, Spain)
C. Galand (La Gauce, France)
C. Gazanhes (Marseille, France)
G.H. Granlund (Linköping, Sweden)
C. Gueguen (Paris, France)
U. Heute (Kiel, Germany)
T.S. Huang (Urbana, IL, USA)
J.L. Lacoume (Grenoble, France)
M.A. Lagunas-Hernandez (Barcelona, Spain)

S. Levialdi (Rome, Italy)
C.E. Liedtke (Hannover, Germany)
S.K. Mitra (Santa Barbara, USA)
M. Nagao (Kyoto, Japan)
Y. Neuvo (Espoo, Finland)
H. Niemann (Erlangen, Germany)
F. Pellandini (Neuchâtel, Switzerland)
B. Picinbono (Gif-sur-Yvette, France)
F. Rocca (Milano, Italy)
B. Sankur (Istanbul, Turkey)
L.L. Scharf (Boulder, CO, USA)
G. Sicuranza (Trieste, Italy)
P. Stoica (Gothenburg, Sweden)
C.Y. Suen (Montréal, Canada)
H. Tiziani (Stuttgart, Germany)
A. Venetsanopoulos (Toronto, Canada)
M. Vetterli (New York, NY, USA)
G. Winkler (Karlsruhe, Germany)
D. Wolf (Frankfurt, Germany)
B. Yegnanarayana (Madras, India)
I.T. Young (Delft, The Netherlands)

signal processing

Editor-in Chief
Murat KUNT

MASTER INDEX
VOLUMES 21-40



ELSEVIER Amsterdam – Lausanne – New York – Oxford – Shannon – Tokyo

© 1994 Elsevier Science B.V. All rights reserved

No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the publisher, Elsevier Science B.V., Copyright and Permissions Department, P.O. Box 521, 1000 AM Amsterdam, The Netherlands.

Special regulations for authors. Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

Special regulations for readers in the USA. This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, USA. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. The fee indicated on the first page of an article in this issue will apply retroactively to all articles published in the journal, regardless of the year of publication. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the publisher for such copying.

No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein. Although all advertising material is expected to conform to ethical standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.



ELSEVIER

Signal Processing (1994) 1–34

**SIGNAL
PROCESSING**

Master index: Volumes 21–40

- Aach, T., A. Kaup and R. Mester, Statistical model-based change detection in moving video 31 (2) (1993) 165–180
- Aarnoudse, J.G., *see* M.H. Koelink 38 (2) (1994) 239–252
- Abbas, H.M., *see* H.I. Shahein 35 (3) (1994) 269–283
- Abbas, H.M. and M.M. Fahmy, Neural networks for maximum likelihood clustering 36 (1) (1994) 111–126
- Abdelqader, I.M., S.A. Rajala, W.E. Snyder and G.L. Bilbro, Energy minimization approach to motion estimation 28 (3) (1992) 291–309
- Aboutajdine, D., *see* M. Bakrim 39 (1–2) (1994) 107–115
- Absher, R.G., *see* E.F. Velez 26 (2) (1992) 161–175
- Abutaleb, A.S., *see* A.S. Elfishawy 23 (2) (1991) 179–191
- Achilles, D. and D. Li, Narrow-band interference suppression in spread spectrum communication systems 24 (1) (1991) 61–76
- Adams III, G.B., *see* L. Lin 38 (3) (1994) 277–297
- Adams III, G.B., E.J. Coyle, L. Lin, L.E. Lucke and K.K. Parhi, Input compression and effective VLSI architectures for rank order and stack filters 38 (3) (1994) 441–453
- Adams, G., *see* F.A. Marvasti 36 (1) (1994) 13–30
- Adler, D. and S. Raz, Legal Wigner space filtering and its interpretation 39 (1–2) (1994) 179–191
- Agathoklis, P. and S. Foda, Recursive implementation of 2-D finite memory filters 21 (3) (1990) 251–260
- Agerskov, C., *see* E.R. Dougherty 29 (3) (1992) 265–281
- Aguiar, S.R.M.F. and A. Alcaim, Backward adaptive lattice and transversal predictors in low-delay CELP coders 39 (1–2) (1994) 201–214
- Ahlén, A. and M. Sternad, Filter design via inner–outer factorization: Comments on “Optimal deconvolution filter design based on orthogonal principle” 35 (1) (1994) 51–58
- Al Hussaini, E.K., *see* M.B. El Mashade 38 (2) (1994) 211–222
- Aladjem, M.E., Multiclass discriminant mappings 35 (1) (1994) 1–18
- Alcaim, A., *see* S.R.M.F. Aguiar 39 (1–2) (1994) 201–214
- Aldridge, R.V., *see* J.A. Bangham 38 (3) (1994) 387–415
- Aldroubi, A., M. Unser and M. Eden, Cardinal spline filters: Stability and convergence to the ideal sinc interpolator 28 (2) (1992) 127–138
- Aldroubi, A., *see* M. Unser 30 (2) (1993) 141–162
- Alengrin, G., *see* J. Zerubia 22 (1) (1991) 53–60
- Alengrin, G., *see* T. Pitarque 22 (3) (1991) 231–238

- Alizon, J., *see* R. Chapuis 24 (3) (1991) 331-343
- Allebach, J.P., *see* M.A. Rahgozar 28 (3) (1992) 253-270
- Alparone, L., V. Cappellini and A. Garzelli, A coarse-to-fine algorithm for fast median filtering of image data with a huge number of levels 39 (1-2) (1994) 33-41
- Amblard, P.-O. and J.-L. Lacoume, A deductive construction of third-order time-frequency distributions 36 (3) (1994) 277-286
- Amiel, M., *see* Y.M. Zhu 30 (3) (1993) 329-353
- Anarim, E. and Y. Istefanopulos, Statistical analysis of Pisarenko type tone frequency estimator 24 (3) (1991) 291-298
- Anarim, E. and B. Sankur, Robust detection of tone signals by autoregressive frequency estimation 30 (3) (1993) 271-277
- Anarim, E., H. Aydinoglu and İ.C. Gökner, Decision based directional edge detector 35 (2) (1994) 149-156
- Anderson, A.J. and T.J. Moir, Evaluation of the gain for an adaptive deconvolution smoother 22 (2) (1991) 209-213
- Anderson, A.J., Comparative performance of a filter and a fixed-lag smoother 29 (2) (1992) 165-171
- Anderson, B.D.O., *see* R.C. Williamson 37 (3) (1994) 309-331
- Anderson, S., On optimal dimension reduction for sensor array signal processing 30 (2) (1993) 245-256
- Ängeby, J., P. Stoica and T. Söderström, Asymptotic statistical analysis of autoregressive frequency estimates 39 (3) (1994) 277-292
- Angelopoulos, G. and I. Pitas, Two-dimensional FFT algorithms on hypercube and mesh machines 30 (3) (1993) 355-371
- Anh, V.V. and N.M. Spencer, Markovian representation and prediction of stochastic processes with time-varying rational spectrum 24 (2) (1991) 137-147
- Anh, V.V. and N.M. Spencer, Unbiased Wiener filtering: Nonstationary processes 25 (1) (1991) 51-68
- Antoine, J.-P., P. Carrette, R. Murenzi and B. Piette, Image analysis with two-dimensional continuous wavelet transform 31 (3) (1993) 241-272
- Antweiler, M., *see* L. Bömer 30 (1) (1993) 1-13
- Arduini, F., *see* C.S. Regazzoni 34 (1) (1993) 43-67
- Argenti, F., V. Cappellini, G. Benelli and A.N. Venetsanopoulos, IIR implementation of piecewise polynomial wavelet representation with application to image coding 39 (3) (1994) 333-346
- Artés-Rodríguez, A., *see* J. Cid-Sueiro 40 (1) (1994) 53-63
- Aydinoglu, H., *see* E. Anarim 35 (2) (1994) 149-156
- Bachl, R., *see* C.C. Ko 31 (3) (1993) 283-300
- Bajić, B., Signal decorrelation induced by transit-time and frequency fluctuations 36 (1) (1994) 127-132
- Bakrim, M., D. Aboutajdine and M. Najim, New cumulant-based approaches for non-Gaussian time-varying AR models 39 (1-2) (1994) 107-115
- Balabhaskar, G., *see* C.C. Ko 31 (3) (1993) 283-300
- Bamberger, J., *see* M. Lang 36 (1) (1994) 31-40
- Bamberger, J., *see* M. Lang 38 (2) (1994) 259-268
- Bangham, J.A., T.G. Campbell and R.V. Aldridge, Multiscale median and morphological filters for 2D pattern recognition 38 (3) (1994) 387-415

- Banon, G.J.F. and J. Barrera, Decomposition of mappings between complete lattices by mathematical morphology, Part I. General lattices 30 (3) (1993) 299-327
- Baraniuk, R.G. and D.L. Jones, Signal-dependent time-frequency analysis using a radially Gaussian kernel 32 (3) (1993) 263-284
- Barone, P., *see* G. Sebastiani 25 (2) (1991) 227-250
- Barrera, J., *see* G.J.F. Banon 30 (3) (1993) 299-327
- Barret, M. and M. Benidir, A new algorithm to test the stability of 2-D digital recursive filters 37 (2) (1994) 255-264
- Bartolini, F., *see* A. Mecocci 35 (2) (1994) 105-116
- Beaty, M.G., Multichannel sampling for multiband signals 36 (1) (1994) 133-138
- Becker, D.E., *see* A.K. Bhattacharjya 28 (3) (1992) 335-348
- Bedini, L., L. Benvenuti, E. Salerno and A. Tonazzini, A mixed-annealing algorithm for edge preserving image reconstruction using a limited number of projections 32 (3) (1993) 397-408
- Bellanger, M.G. and P.A. Regalia, The FLS-QR algorithm for adaptive filtering: The case of multichannel signals 22 (2) (1991) 115-126
- Benaissa, M., S.S. Dlay and A.G.J. Holt, VLSI implementation issues for the 2-D Fermat number transform 23 (3) (1991) 257-272
- Benavides, I., *see* E.L. Zapata 27 (1) (1992) 51-64
- Benavides, J.I., *see* E.L. Zapata 21 (1) (1990) 49-60
- Benelli, G., *see* F. Argenti 39 (3) (1994) 333-346
- Benidir, M., *see* M. Barret 37 (2) (1994) 255-264
- Benvenuti, L., *see* L. Bedini 32 (3) (1993) 397-408
- Benvenuto, N., G. Guidotti and S.K. Mitra, Digital filter bank with 65536 channels for spectrum analysis 23 (2) (1991) 109-119
- Bernardini, A. and S. De Fina, A new predistortion technique using neural nets 34 (2) (1993) 231-243
- Besson, O. and F. Castanié, On estimating the frequency of a sinusoid in autoregressive multiplicative noise 30 (1) (1993) 65-83
- Beucher, S., Digital skeletons in Euclidean and geodesic spaces 38 (1) (1994) 127-141
- Bhandari, D., *see* N.R. Pal 33 (2) (1993) 139-158
- Bhatia, P., *see* V. Srinivasan 31 (3) (1993) 229-233
- Bhattacharjya, A.K., D.E. Becker and B. Roysam, A genetic algorithm for intelligent imaging from quantum-limited data 28 (3) (1992) 335-348
- Bianco, B., *see* T. Tommasi 32 (3) (1993) 357-366
- Biamond, J., *see* F. Bosveld 28 (3) (1992) 271-289
- Bigün, J., Frequency and orientation sensitive texture measures using linear symmetry 29 (1) (1992) 1-16
- Bijaoui, A., *see* J.-L. Starck 35 (3) (1994) 195-211
- Bilbro, G.L., *see* I.M. Abdelqader 28 (3) (1992) 291-309
- Blum, R.S., Asymptotically robust detection for known signals in contaminated multiplicative noise 38 (2) (1994) 197-210
- Boite, R., H. Leich and G. Yang, A very simple and efficient weighting filter with application to a CELP coder for high quality speech at 4800 bits/s 27 (2) (1992) 109-116
- Boite, R., *see* G. Yang 31 (3) (1993) 215-227
- Bojanczyk, A.W., L.M. Ewerbring, F.T. Luk and P. van Dooren, An accurate product SVD algorithm 25 (2) (1991) 189-201
- Boles, W.W., M. Kanefsky and M. Simaan, A reduced edge distortion median filtering algorithm for binary images 21 (1) (1990) 37-47

| | | | |
|---|----|--------------|---------|
| Bömer, L. and M. Antweiler, Optimizing the aperiodic merit factor of binary arrays | 30 | (1) (1993) | 1- 13 |
| Borgefors, G., T. Hartmann and S.L. Tanimoto, Parallel distance transforms on pyramid machines: Theory and implementation | 21 | (1) (1990) | 61- 86 |
| Boss, R.D., <i>see</i> E.W. Jacobs | 29 | (3) (1992) | 251-263 |
| Bosveld, F., R.L. Lagendijk and J. Biemond, Compatible spatio-temporal sub-band encoding of HDTV | 28 | (3) (1992) | 271-289 |
| Bottalico, S., <i>see</i> E. D'Addio | 36 | (2) (1994) | 149-162 |
| Boucher, J.M., <i>see</i> S. Saoudi | 28 | (2) (1992) | 201-212 |
| Boutalis, Y., <i>see</i> L. Sukissian | 36 | (2) (1994) | 209-232 |
| Bresler, Y., <i>see</i> S.F. Yau | 29 | (3) (1992) | 283-298 |
| Brillinger, D.R., Some basic aspects and uses of higher-order spectra | 36 | (3) (1994) | 239-249 |
| Briskin, S., <i>see</i> V. Lyandres | 34 | (2) (1993) | 163-178 |
| Britaňák, V., On the discrete cosine transform computation | 40 | (2-3) (1994) | 183-194 |
| Broman, H., <i>see</i> S. Molander | 32 | (1-2) (1994) | 201-215 |
| Bronstein, A., <i>see</i> A. Zayezdny | 38 | (2) (1994) | 231-237 |
| Brown, W.A., <i>see</i> W.A. Gardner | 23 | (3) (1991) | 273-292 |
| Bruguera, J.D., <i>see</i> E.L. Zapata | 27 | (1) (1992) | 51- 64 |
| Brun, P., <i>see</i> L. Dong | 22 | (1) (1991) | 95-105 |
| Bukris, M., <i>see</i> D. Wulich | 34 | (1) (1993) | 99-108 |
| Bunke, H., <i>see</i> X.Y. Jiang | 23 | (3) (1991) | 221-226 |
| Burgett, S. and M. Das, Predictive image coding using two-dimensional autoregressive models | 31 | (2) (1993) | 121-132 |
| Butterweck, H.J., About the propagation of the Wigner distribution in systems with Gaussian frequency characteristics | 23 | (2) (1991) | 137-144 |
| Butterweck, H.J., A.C.P. van Meer and J.H.F. Ritzerfeld, A remote identification system based on passive identifiers | 26 | (3) (1992) | 369-379 |
| Cachard, C. <i>see</i> G. Gimenez | 33 | (1) (1993) | 57- 65 |
| Cadzow, J.A. and D.M. Wilkes, Enhanced rational signal modeling | 25 | (2) (1991) | 171-188 |
| Caf, D., <i>see</i> J. Tasič | 31 | (1) (1993) | 91- 96 |
| Cai, L. and H. Wang, A persymmetric modified-SMI algorithm | 23 | (1) (1991) | 27- 34 |
| Callender, C.P., S. Theodoridis and C.F.N. Cowan, Adaptive non-linear equalisation of digital communications channels | 40 | (2-3) (1994) | 325-333 |
| Campbell, D.R., T.J. Moir and H.S. Dabis, Multivariable polynomial matrix formulation of adaptive noise cancelling | 26 | (2) (1992) | 177-183 |
| Campbell, T.G., <i>see</i> J.M.H. Du Buf | 21 | (4) (1990) | 289-301 |
| Campbell, T.G., <i>see</i> J.A. Bangham | 38 | (3) (1994) | 387-415 |
| Canavero, F.G., <i>see</i> S. Pignari | 22 | (1) (1991) | 107-112 |
| Cappellini, V., <i>see</i> A. Mecocci | 35 | (2) (1994) | 105-116 |
| Cappellini, V., <i>see</i> L. Alparone | 39 | (1-2) (1994) | 33- 41 |
| Cappellini, V., <i>see</i> F. Argenti | 39 | (3) (1994) | 333-346 |
| Carasi, J.J., <i>see</i> E.J. Tacconi | 23 | (2) (1991) | 145-155 |
| Carayannis, G., <i>see</i> G.N. Stainhaouer | 23 | (1) (1991) | 1- 14 |
| Carayannis, G., <i>see</i> I. Dologlou | 23 | (3) (1991) | 293-298 |
| Carayannis, G., E. Koukoutsis and C.C. Halkias, Hardware implementation of partitioned-parallel algorithms in linear prediction | 24 | (3) (1991) | 253-269 |
| Carayannis, G., <i>see</i> C. Papaodysseus | 25 | (2) (1991) | 215-226 |

| | | | |
|---|----|--------------|---------|
| Carazo, J.M., <i>see</i> E.L. Zapata | 21 | (1) (1990) | 49- 60 |
| Carazo, J.M., <i>see</i> E.L. Zapata | 27 | (1) (1992) | 51- 64 |
| Carazo, J.M., <i>see</i> R. Marabini | 40 | (2-3) (1994) | 119-128 |
| Carlsson, B. and P. Händel, A notch filter based on recursive least-squares modelling | 35 | (3) (1994) | 231-239 |
| Carrato, S., Image vector quantization using ordered codebooks: Properties and applications | 40 | (1) (1994) | 87-103 |
| Carrette, P., <i>see</i> J.-P. Antoine | 31 | (3) (1993) | 241-272 |
| Carrión, M.C., <i>see</i> A. Gallego | 37 | (3) (1994) | 381-388 |
| Castan, S., <i>see</i> J. Shen | 31 | (2) (1993) | 103-119 |
| Castanié, F., <i>see</i> O. Besson | 30 | (1) (1993) | 65- 83 |
| Castanie, F., <i>see</i> M. Ibn Kahla | 40 | (1) (1994) | 65- 85 |
| Ceruti, R. and D. Sereno, International Workshop of Acoustic Echo Control | 27 | (3) (1992) | 255-256 |
| Çetin, A.E., A multiresolution nonrectangular wavelet representation for two-dimensional signals | 32 | (3) (1993) | 343-355 |
| Chan, J.-K., Applications of Astrom-Gray-Markel recursions | 22 | (2) (1991) | 179-185 |
| Chan, Y.-H. and W.-C. Siu, General approach for the realization of DCT/IDCT using convolutions | 37 | (3) (1994) | 357-363 |
| Chanda, B., <i>see</i> K.N.V.L.N. Koundinya | 37 | (2) (1994) | 287-299 |
| Chandna, B., <i>see</i> S. Prasad | 23 | (2) (1991) | 157-177 |
| Chang, C.-I., <i>see</i> L.B. Wolfe | 33 | (2) (1993) | 209-221 |
| Chang, L.-W. and M.-C. Wu, A bit level systolic array for Walsh-Hadamard transforms | 31 | (3) (1993) | 341-347 |
| Chang, W.-S., <i>see</i> J.-M. Chen | 37 | (3) (1994) | 345-356 |
| Chapuis, R., J. Gallice, F. Jurie and J. Alizon, Real time road mark following | 24 | (3) (1991) | 331-343 |
| Chauvet, P., J. Lopez-Krahe, E. Taflin and H. Maître, System for an intelligent office document analysis, recognition and description | 32 | (1-2) (1993) | 161-190 |
| Chayat, N., <i>see</i> S. Shamai (Shitz) | 24 | (2) (1991) | 127-136 |
| Cheded, L. and P.A. Payne, The exact impact of amplitude quantization on multi-dimensional, high-order moments estimation | 39 | (3) (1994) | 293-315 |
| Chen, B.-S. and S.-C. Peng, Optimal deconvolution filter design based on orthogonal principle | 25 | (3) (1991) | 361-372 |
| Chen, B.-S., T.-Y. Yang and B.-H. Lin, Adaptive notch filter by direct frequency estimation | 27 | (2) (1992) | 161-176 |
| Chen, B.-S. and T.-Y. Yang, Design of optimal digital differentiator using algebraic methods | 28 | (2) (1992) | 213-223 |
| Chen, B.-S., <i>see</i> S.-C. Peng | 36 | (1) (1994) | 71- 90 |
| Chen, B.S., <i>see</i> J.-M. Chen | 37 | (3) (1994) | 345-356 |
| Chen, B.-S. and S.-C. Peng, Deconvolution filter design with consideration of channel sensitivity | 39 | (1-2) (1994) | 149-166 |
| Chen, D., <i>see</i> S. Qian | 36 | (1) (1994) | 1- 11 |
| Chen, G.-S., W.-J. Duh and J.-L. Wu, Comments on "Fixed-point error analysis of fast Hartley transform" | 33 | (2) (1993) | 235-236 |
| Chen, G.-S., J.-L. Wu, W.-J. Duh and L.-S. Lee, A novel scaling scheme for fast Hartley transform | 34 | (1) (1993) | 123-129 |
| Chen, H.-H., Y.-S. Chen and W.-H. Hsu, Low-rate sequence image coding via vector quantization | 26 | (3) (1992) | 265-283 |

- Chen, J.M., B.-S. Chen and W.-S. Chang, Parameter estimation of linear systems with input-output noisy data: A generalized l_p norm approach 37 (3) (1994) 345-356
- Chen, K., *see* S. Qian 27 (2) (1992) 177-185
- Chen, L.H. and S.-F. Weng, A new image compression method using dynamic predictor based on current context 24 (1) (1990) 43-59
- Chen, L.-H., *see* P.-Y. Yin 34 (3) (1993) 311-322
- Chen, R.-Y., *see* C.-L. Wang 26 (2) (1992) 197-204
- Chen, S., G.J. Gibson, C.F.N. Cowan and P.M. Grant, Reconstruction of binary signals using an adaptive radial-basis-function equalizer 22 (1) (1991) 77-93
- Chen, S. and B. Mulgrew, Overcoming co-channel interference using an adaptive radial basis function equaliser 28 (1) (1992) 91-107
- Chen, S., S. McLaughlin and B. Mulgrew, Complex-valued radial basis function network, Part I: Network architecture and learning algorithms 35 (1) (1994) 19-31
- Chen, S., S. McLaughlin and B. Mulgrew, Complex-valued radial basis function network, Part II: Application to digital communications channel equalisation 36 (2) (1994) 175-188
- Chen, W.-T., *see* C.-Y. Chi 24 (2) (1991) 149-163
- Chen, Y., *see* E.R. Dougherty 29 (3) (1992) 265-281
- Chen, Y.-C., *see* F.-C. Leou 25 (1) (1991) 81-89
- Chen, Y.-C., *see* J.-K. Hwang 30 (2) (1993) 177-197
- Chen, Y.-S., *see* H.-H. Chen 26 (3) (1992) 265-283
- Chernyakov, M.S., *see* S.C. Scouler 30 (1) (1993) 85-101
- Chi, C.-Y. and W.-T. Chen, An adaptive maximum-likelihood deconvolution algorithm 24 (2) (1991) 149-163
- Chi, C.-Y. and S.-L. Chiou, A new WLS Chebyshev approximation method for the design of FIR digital filters with arbitrary complex frequency response 29 (3) (1992) 335-347
- Chimienti, A., M. Lavogna, R. Picco and M. Taliercio, Matrix multiplier transform analysis and design of a general purpose transformer 28 (2) (1992) 153-162
- Chin, T.M., W.C. Karl and A.S. Willsky, Sequential filtering for multi-frame visual reconstruction 28 (3) (1992) 311-333
- Chiou, S.-L., *see* C.-Y. Chi 29 (3) (1992) 335-347
- Chitrapu, P.R., *see* D. Waldo 24 (2) (1991) 231-237
- Choi, J., I. Song, S. Kim and S.Y. Kim, A combined determination-estimation method for direction of arrival estimation 30 (1) (1993) 123-131
- Choi, J., I. Song, S. Kim, S.Y. Kim and H.M. Kim, A statistical analysis of MUSIC null-spectrum via decomposition of estimation error 34 (2) (1993) 179-192
- Choi, J., I. Song and H.M. Kim, On estimating the direction of arrival when the number of signal sources is unknown 34 (2) (1993) 193-205
- Choi, S. and T.K. Sarkar, Adaptive antenna array utilizing the conjugate gradient method for multipath mobile communication 29 (3) (1992) 319-333
- Choi, S., T.K. Sarkar and S.S. Lee, Design of two-dimensional Tseng window and its application to antenna array for the detection of AM signal in the presence of strong jammers in mobile communication 34 (3) (1993) 297-310
- Chou, K.C., S.A. Golden and A.S. Willsky, Multiresolution stochastic models data fusion, and wavelet transforms 34 (3) (1993) 257-282
- Chung, S.-H., *see* V. Krishnamurthy 24 (2) (1991) 177-192
- Cid-Sueiro, J., A. Artés-Rodríguez and A.R. Figueiras-Vidal, Recurrent radial basis function networks for optimal symbol-by-symbol equalization 40 (1) (1994) 53-63

| | | | |
|---|----|--------------|---------|
| Coates, D., Comments on "Performance evaluation of some methods for off-line detection of changes in autoregressive signals" by P. Stoica | 24 | (3) (1991) | 353-357 |
| Comon, P., C. Jutten and J. Herault, Blind separation of sources, Part II: Problems statement | 24 | (1) (1991) | 11- 20 |
| Comon, P., MA identification using fourth order cumulants | 26 | (3) (1992) | 381-388 |
| Comon, P., Independent component analysis, A new concept? | 36 | (3) (1994) | 287-314 |
| Coroyer, C., <i>see</i> J. Le Roux | 36 | (3) (1994) | 375-390 |
| Cowan, C.F.N., <i>see</i> S. Chen | 22 | (1) (1991) | 77- 93 |
| Cowan, C.F.N., <i>see</i> C.P. Callender | 40 | (2-3) (1994) | 325-333 |
| Coyle, E.J., <i>see</i> L. Lin | 38 | (3) (1994) | 277-297 |
| Coyle, E.J., <i>see</i> G.B. Adams III | 38 | (3) (1994) | 441-453 |
| Crippa, C., Can the VLSI technology meet the needs of acoustic echo control system? | 27 | (3) (1992) | 333-345 |
| Crowley, J.L. and Y. Demazeau, Principles and techniques for sensor data fusion | 32 | (1-2) (1993) | 5- 27 |
| Crowley, J.L., Response to Comments by Professor Dickmanns | 35 | (3) (1994) | 307-308 |
| | | | |
| D'Addio, E., M. Di Bisceglie and S. Bottalico, Detection of moving objects with airborne SAR | 36 | (2) (1994) | 149-162 |
| Dabis, H.S., <i>see</i> D.R. Campbell | 26 | (2) (1992) | 177-183 |
| Das, M., <i>see</i> S. Burgett | 31 | (2) (1993) | 121-132 |
| Dassel, A.C.M., <i>see</i> M.H. Koelink | 38 | (2) (1994) | 239-252 |
| Davies, E.R., The minimal match graph and its use to speed identification of maximal cliques | 22 | (3) (1991) | 329-343 |
| Davies, E.R., A skimming technique for fast accurate edge detection | 26 | (1) (1992) | 1- 16 |
| Davies, E.R., Optimal template masks for detecting signals with varying background level | 29 | (2) (1992) | 183-189 |
| David, S. and B. Ramamurthi, Multiband-excited liner predictive coder with a two-sided short-term predictor | 25 | (1) (1991) | 69- 80 |
| De Bougrenet de la Tocnaye, J.-L. and A. Hillion, Optical modeling of mathematical morphology: A link between convolution of images, dilation and erosion | 26 | (2) (1992) | 243-246 |
| De Couasnon, T., R. Monnier and J.B. Rault, OFDM for digital TV broadcasting | 39 | (1-2) (1994) | 1- 32 |
| De Fina, S., <i>see</i> A. Bernardini | 34 | (2) (1993) | 231-243 |
| De Moor, B., Generalizations of the singular value and QR decompositions | 25 | (2) (1991) | 135-146 |
| De Mul, F.F.M., <i>see</i> M.H. Koelink | 38 | (2) (1994) | 239-252 |
| De Pérez, T.A., J. Restrepo and L.M. Díaz, Optimum time-frequency representations of monocomponent signal combinations | 38 | (2) (1994) | 187-195 |
| De Vries, F.P.Ph., Automatic, adaptive, brightness independent contrast enhancement | 21 | (2) (1990) | 169-182 |
| Del Bimbo, A. and P. Nesi, Behavioral object recognition from multiple image frames | 27 | (1) (1992) | 37- 49 |
| Del Bimbo, A., L. Landi and S. Santini, Determination of road directions using feedback neural nets | 32 | (1-2) (1993) | 147-160 |
| Delic, H. and P. Papantoni-Kazakos, Robust decentralized detection by asymptotically many sensors | 33 | (2) (1993) | 223-233 |
| Demazeau, Y., <i>see</i> J.L. Crowley | 32 | (1-2) (1993) | 5- 27 |

- Demeure, C.J., Fast least squares estimation of amplitude and phase damped cosines 21 (2) (1990) 107-115
- Den Brinker, A.C., Adaptive modified Laguerre filters 31 (3) (1993) 69-79
- Deng, L., A generalized hidden Markov model with state-conditioned trend functions of time for the speech signal 27 (1) (1992) 65-78
- Deng, L. and I. Kheirallah, Numerical property and efficient solution of a transmission-line model for basilar membrane wave motions 33 (3) (1993) 269-285
- Deng, L., A statistical model for formant-transition microsegments of speech incorporating locus equations 37 (1) (1994) 121-128
- Deng, L., *see* D.X. Sun 39 (3) (1994) 263-275
- Deprettere, E.F., *see* F. Vanpoucke 40 (1) (1994) 39-52
- Destiné, J., *see* Z. Hu 33 (2) (1993) 159-168
- Devaney, A.J., *see* G.A. Tsihrintzis 30 (1) (1993) 49-64
- Devaney, A.J., *see* A. Schatzberg 40 (2-3) (1994) 227-237
- Di Bisceglie, M., *see* E. D'Addio 36 (2) (1994) 149-162
- Diaspro, A., *see* T. Tommasi 32 (3) (1993) 357-366
- Díaz, L.M., *see* T.A. De Perez 38 (2) (1994) 187-195
- Dickie, J.R. and A.K. Nandi, A comparative study of AR order selection methods 40 (2-3) (1994) 239-255
- Dickmanns, E.D., Historical development of use of dynamical models for the representation of knowledge about real world processes in machine vision 35 (3) (1994) 305-306
- Dlay, S.S., *see* M. Benaissa 23 (3) (1991) 257-272
- Docampo, D., Editorial 40 (1) (1994) 1
- Dologlou I. and G. Carayannis, LPC/SVD analysis of signals with zero modeling error 23 (3) (1991) 293-298
- Doncarli, C., L. Goerig and P. Guiheneuc, Adaptive smoothing of evoked potentials 28 (1) (1992) 63-76
- Dong, L., G. Pelle, P. Brun and M. Unser, Adaptive myocardial border tracking in *M*-mode echocardiograms 22 (1) (1991) 95-105
- Dorst, L. and R. Van den Boomgaard, Morphological signal processing and the slope transform 38 (1) (1994) 79-98
- Dougherty, E.R., R.M. Haralick, Y. Chen, C. Agerskov, U. Jacobi and P.H. Sloth, Estimation of optimal morphological τ -opening parameters based on independent observation of signal and noise pattern spectra 29 (3) (1992) 265-281
- Dougherty, E.R., *see* E.J. Kraus 34 (1) (1993) 1-17
- Dougherty, E.R. and D. Sinha, Computational mathematical morphology 38 (1) (1994) 21-29
- Dougherty, E.R. and R.P. Loce, Precision of morphological-representation estimators for translation-invariant binary filters: Increasing and nonincreasing 40 (2-3) (1994) 129-154
- Dreßler, H.-J., Interpolative bandpass-A/D-conversion 22 (2) (1991) 139-151
- Druckmann, I., *see* A. Zayezdny 22 (2) (1991) 153-178
- Du Buf, J.M.H., Gabor phase in texture discrimination 21 (3) (1990) 221-240
- Du Buf, J.M.H. and T.G. Campbell, A quantitative comparison of edge-preserving smoothing techniques 21 (4) (1990) 289-301
- Du Buf, J.M.H. and P. Heitkämper, Texture features based on Gabor phase 23 (3) (1991) 227-244
- Dubesset, M., *see* J. Mars 26 (2) (1992) 147-159
- Dubois, E., *see* P. Kabal 24 (2) (1991) 117-126

| | | |
|---|----|----------------------|
| Duh, W.-J. <i>see</i> G.-S. Chen | 33 | (2) (1993) 235-236 |
| Duh, W.-J., <i>see</i> G.-S. Chen | 34 | (1) (1993) 123-129 |
| Dutta Roy, S.C., <i>see</i> H. Shah | 27 | (2) (1992) 117-124 |
| Dutta Roy, S.C., <i>see</i> B. Kumar | 39 | (3) (1994) 247-262 |
| Dzung, D., <i>see</i> A. Morgül | 25 | (3) (1991) 307-318 |
| Eden, M., <i>see</i> A. Aldroubi | 28 | (2) (1992) 127-138 |
| Eden, M., <i>see</i> M. Unser | 30 | (2) (1993) 141-162 |
| Eden, M., <i>see</i> M. Unser | 36 | (2) (1994) 163-174 |
| Eden, M., <i>see</i> L. Yaroslavsky | 39 | (1-2) (1994) 89-106 |
| El Mashade, M.B. and E.K. Al Hussaini, Performance of CFAR detectors of <i>M</i> -sweeps in the presence of interfering targets | 38 | (2) (1994) 211-222 |
| Elfishawy, A.S., S.B. Kelser and A.S. Abutaleb, Adaptive algorithms for change detection in image sequence | 23 | (2) (1991) 179-191 |
| Elmaraazey, M., On spatial smoothing techniques for beamforming in the presence of correlated arrivals | 37 | (2) (1994) 157-170 |
| Er, M.H., An alternative implementation of quadratically constrained broadband beamformers | 21 | (2) (1990) 117-127 |
| Er, M.H., Designing notch filter with controlled null width | 24 | (3) (1990) 319-329 |
| Er, M.H. and S.K. Hui, Array pattern synthesis in the presence of faulty elements | 29 | (1) (1992) 57- 65 |
| Er, M.H. and B.C. Ng, A robust method for broadband beamforming in the presence of pointing error | 30 | (1) (1993) 115-121 |
| Er, M.H., S.L. Sim and S.N. Koh, Application of constrained optimization techniques to array pattern synthesis | 34 | (3) (1993) 323-334 |
| Er, M.H., <i>see</i> K.-C. Tan | 34 | (3) (1993) 245-256 |
| Er, M.H., <i>see</i> K.-C. Tan | 35 | (3) (1994) 295-303 |
| Er, M.H., <i>see</i> B.P. Ng | 40 | (2-3) (1994) 319-323 |
| Eriksson, A. and P. Stoica, On statistical analysis of Pisarenko tone frequency estimator | 31 | (3) (1993) 349-353 |
| Eriksson, A. and P. Stoica, Optically weighted ESPRIT for direction estimation | 38 | (2) (1994) 223-229 |
| Erlich, S. and K. Yao, Convergences of adaptive block simultaneous iteration method for eigenstructure decomposition | 37 | (1) (1994) 1- 13 |
| Ertüzün, A., A.H. Kayran and E. Panayırçı, An improved 2-D lattice filter and its entropy relations | 28 | (1) (1992) 1- 24 |
| Evans, J.B., <i>see</i> Y. Hua | 35 | (2) (1994) 163-171 |
| Evans, R.J., <i>see</i> B. Haywood | 29 | (2) (1992) 191-211 |
| Evci, C.C., DPCM-AQB speech codecs employing autocorrelation based vector quantizers for mobile applications | 23 | (1) (1991) 67- 77 |
| Ewerbring, L.M., <i>see</i> A.W. Bojanczyk | 25 | (2) (1991) 189-201 |
| Fahmy, M.M., <i>see</i> R. Hu | 26 | (3) (1992) 285-305 |
| Fahmy, M.M., <i>see</i> S.A. Mohamed | 34 | (1) (1993) 69- 84 |
| Fahmy, M.M., <i>see</i> H.M. Abbas | 36 | (1) (1994) 111-126 |
| Fang, M., Class of invertible shift invariant transforms | 23 | (1) (1991) 35- 44 |
| Faraj, Z., <i>see</i> M. Ibn Kahla | 40 | (1) (1994) 65- 85 |
| Farkash, S. and S. Raz, The legality problem of linear systems in Gabor time-frequency space | 34 | (3) (1993) 283-295 |

- Farooq, M., A Rouhi and S.S. Lim, Analysis of suboptimal filtering algorithms for target tracking 30 (2) (1993) 221-233
- Fathima, S.T. and B. Yegnanarayana, A maximum entropy approach to interpolation 21 (1) (1990) 17- 24
- Feihl, F., *see* M. Karrakchou 27 (1) (1992) 99-107
- Ferrari, A., *see* T. Pitarque 22 (3) (1991) 231-238
- Ferreira, P.J.S.G., The stability of a procedure for the recovery of lost samples in band-limited signals 40 (2-3) (1994) 195-205
- Figueiras-Vidal, A.R., *see* J. Cid-Sueiro 40 (1) (1994) 53- 63
- Fineberg, A.B. and R.J. Mammone, A method for instantaneous frequency tracking of multiple narrowband signals 29 (1) (1992) 29- 44
- Fischer, A., Numerical behaviour of a fixed-point implementation of the splitted generalized LeRoux-Gueguen algorithm 33 (2) (1993) 197-207
- Fisher, Y., *see* E.W. Jacobs 29 (3) (1992) 251-263
- Fitz, M.P., *see* R.W. Hawley 38 (3) (1994) 317-329
- Fitzgerald, W.J., *see* S.C. Scoular 28 (2) (1992) 195-200
- Fitzgerald, W.J., *see* S.C. Scoular 29 (1) (1992) 67- 76
- Fitzgerald, W.J., *see* J.A. Stark 39 (1-2) (1994) 193-200
- Fliege, N.J., Half-band bandpass filters and filter banks with almost perfect reconstruction 35 (1) (1994) 59- 66
- Foda, S., *see* P. Agathoklis 21 (3) (1990) 251-260
- Fonollosa, J.A.R., *see* J. Vidal 36 (3) (1994) 329-340
- Fonollosa, J.R. and C.L. Nikias, Analysis of finite-energy signals using higher-order moments- and spectra-based time-frequency distributions 36 (3) (1994) 315-328
- Fontanot, P., *see* G. Ramponi 33 (1) (1993) 23- 34
- Foresti, G.L., V. Murino, C.S. Regazzoni and G. Vernazza, Distributed spatial reasoning for multisensory image interpretation 32 (1-2) (1993) 217-255
- Fotopoulos, S., *see* J. Neejärvi 31 (3) (1993) 181-190
- Freedman, M. and D. Zrilić, Nonlinear arithmetic operations on the delta sigma pulse stream 21 (1) (1990) 25- 35
- Friedlander, B., *see* A.J. Weiss 22 (3) (1991) 251-258
- Friedlander, B., The root-MUSIC algorithm for direction finding with interpolated arrays 30 (1) (1993) 15- 29
- Friedman, P.A., The adaptive multidimensional data acquisition in physical experiments 38 (2) (1994) 253-258
- Fu, K.-C., *see* J.-J. Shyu 35 (2) (1994) 117-130
- Gabbouj, M., *see* Q. Wang 34 (2) (1993) 131-148
- Gabbouj, M., *see* J. Niewęglowski 34 (2) (1993) 149-161
- Gabbouj, M., *see* T. Sun 35 (3) (1994) 213-229
- Gabbouj, M., *see* T. Sun 38 (3) (1994) 331-344
- Gaillard, P., *see* G.L. Nie 23 (2) (1991) 121-136
- Gallagher Jr., N.C., *see* R.W. Hawley 38 (3) (1994) 317-329
- Gallego, A., M.C. Carrión, D.P. Ruiz and A. Medouri, The relationship between AR-modelling bispectral estimation and the theory of linear prediction 37 (3) (1994) 381-388
- Gallice, J., *see* R. Chapuis 24 (3) (1991) 331-343
- García Otero, M., *see* J.M. Páez Borrallo 27 (3) (1992) 301-315
- Gardner, W.A., *see* G.D. Živanović 22 (3) (1991) 287-297

- Gardner, W.A. and W.A. Brown, Fraction-of-time probability for time-series that exhibit cyclostationarity 23 (3) (1991) 273-292
- Gardner, W.A., A unifying view of coherence in signal processing 29 (2) (1992) 113-140
- Garzelli, A., *see* L. Alparone 39 (1-2) (1994) 33- 41
- Gelli, G., L. Izzo, A. Napolitano and L. Paura, Multipath-channel identification by an improved Prony algorithm based on spectral correlation measurements 31 (1) (1993) 17- 29
- Gerbrands, J.J., *see* Y.J. Zhang 39 (1-2) (1994) 43- 54
- Giannakis, G.B., *see* S. Shamsunder 30 (3) (1993) 279-297
- Gibson, G.J., *see* S. Chen 22 (1) (1991) 77- 93
- Gierlich, H.W., A measurement technique to determine the transfer characteristics of hands-free telephones 27 (3) (1992) 281-300
- Gilloire, A., Status of the standardization activities on acoustic echo control 27 (3) (1992) 273-279
- Gimenez, G., C. Cachard and D. Vray, Use of the instantaneous frequency to investigate the time-dependent velocity of a continuously insonified target 33 (1) (1993) 57- 65
- Girod, B., Psychovisual aspects of image communication 28 (3) (1992) 239-251
- Glentis, G.O. and N. Kalouptsidis, Efficient solution of block linear systems with Toeplitz entries using a channel decomposition technique 37 (1) (1994) 15- 60
- Glentis, G.-O. and N. Kalouptsidis, Efficient multichannel FIR filtering using a single step versatile order recursive algorithm 37 (3) (1994) 437-462
- Gökner, İ.C., *see* E. Anarim 35 (2) (1994) 149-156
- Goerig, L., *see* C. Doncarli 28 (2) (1992) 63- 76
- Gold, D. and H. Ur, Quantization noise analysis and error feedback implementation in frequency sampling FIR filters 30 (1) (1993) 103-113
- Golden, S.A., *see* K.C. Chou 34 (3) (1993) 257-282
- Goldfeld, L. and D. Wulich, Performance of a correlation demodulator in the presence of a speech signal 35 (1) (1994) 41- 50
- Gonnet, C. and B. Torresani, Local frequency analysis with two-dimensional wavelet transform 37 (3) (1994) 389-404
- Goutis, C.E., *see* S.S. Nikolaidis 39 (1-2) (1994) 215-222
- Goutte, R., *see* G. Jacquemod 26 (1) (1992) 139-146
- Goutte, R., *see* Y.M. Zhu 30 (3) (1993) 329-353
- Graaff, R., *see* M.H. Koelink 38 (2) (1994) 239-252
- Grant, P.M., *see* S. Chen 22 (1) (1991) 77- 93
- Grattarola, A.A., Volumetric reconstruction from object silhouettes: A regularization procedure 27 (1) (1992) 27- 35
- Greblicki, W. and M. Pawlak, Nonparametric identification of a cascade nonlinear time series system 22 (1) (1991) 65- 75
- Greve, J., *see* M.H. Koelink 38 (2) (1994) 239-252
- Guidotti, G., *see* N. Benvenuto 23 (2) (1991) 109-119
- Guiheneuc, P., *see* C. Doncarli 28 (1) (1992) 63- 76
- Gušev, M., *see* J. Tasič 31 (1) (1993) 91- 96
- Halkias, C.C., *see* G. Carayannis 24 (3) (1991) 253-269
- Hambaba, M.L., The robust generalized least-squares estimator 26 (3) (1992) 359-368
- Han, D.-S. and H.-S. Lee, Performance of modified order statistics CFAR detectors with noncoherent integration 31 (1) (1993) 31- 42
- Han, D.-S., *see* C.-J. Kim 31 (1) (1993) 43- 56

- Han, Y., I. Song and Y. Park, Some root properties of recursive weighted median filters 25 (3) (1991) 337-344
- Händel, P., High-order Yule-Walker estimation of the parameters of exponentially damped cisoids in noise 32 (3) (1993) 315-328
- Händel, P., P. Stoica and T. Söderström, Asymptotic variance of the AR spectral estimator for noisy sinusoidal data 35 (2) (1994) 131-139
- Händel, P., *see* B. Carlsson 35 (3) (1994) 231-239
- Hänsler, E., The hands-free telephone problem - An annotated bibliography 27 (3) (1992) 259-271
- Haralick, R.M., *see* E.R. Dougherty 29 (3) (1992) 265-281
- Hari Krishna, V. and D.C. Reddy, Design of adaptive filters for a class of non-uniformly sample signals 31 (1) (1993) 81- 89
- Hartmann, T., *see* G. Borgefors 21 (1) (1990) 61- 86
- Hartwig, G., *see* A. Kummert 26 (1) (1992) 61- 93
- Hatzinakos, D., Blind equalization using decision feedback prediction and tricepstrum principles 36 (3) (1994) 261-276
- Hawley, R.W., N.C. Gallagher Jr. and M.P. Fitz, Stack filter phase lock 38 (3) (1994) 317-329
- Hayashi, S., M. Suguimoto and G. Kishi, Low bit-rate MPC coders with adaptively controlled synthesis filter parameters 35 (3) (1994) 285-293
- Hayes, M.H., *see* W.A. Kittel 29 (1) (1992) 93-106
- Haywood, B. and R.J. Evans, Discrete 2-D system identification for imaging rotating radar targets 29 (2) (1992) 191-211
- Hazra, S.N., *see* M.S. Reddy 21 (1) (1990) 87- 91
- Heijmans, H.J.A.M., *see* E.J. Kraus 34 (1) (1993) 1- 17
- Heijmans, H.J.A.M., On the construction of morphological operators which are self-dual and activity-extensive 38 (1) (1994) 13- 19
- Heitkämper, P., *see* J.M.H. Du Buf 23 (3) (1991) 227-244
- Helstrom, C.W., Minimax detection of signals with unknown parameters 27 (2) (1992) 145-159
- Herauld, J., *see* C. Jutten 24 (1) (1991) 1- 10
- Herauld, J., *see* P. Comon 24 (1) (1991) 11- 20
- Hermanowicz, E. and M. Rojewski, The minimum-phase demodulate and its application to autoregressive analysis of bandpass signal 25 (1) (1991) 1- 9
- Hershey, J., *see* J. Schroeder 24 (2) (1991) 193-216
- Hertz, D., Only additions algorithm for locating the frequency of a complex tone 21 (3) (1990) 275-280
- Hillion, A., *see* J.-L. de Bougrenet de la Tocnaye 26 (2) (1992) 243-246
- Hinich, M.J. and W.E. Weber, Estimating linear filters with errors in variables using the Hilbert transform 37 (2) (1994) 215-228
- Hoffmann, J.C., *see* M. Ibn Kahla 40 (1) (1994) 65- 85
- Holt, A.G.J., *see* M. Benaissa 23 (3) (1991) 257-272
- Hsu, W.-H., *see* H.-H. Chen 26 (3) (1992) 265-283
- Hsu, W.-H. *see* S.-W. Lee 33 (2) (1993) 169-182
- Hsu, W.-S., *see* S.-W. Lee 23 (2) (1991) 205-213
- Hsue, J.-J. and A.E. Yagle, A fast algorithm for linear least-squares smoothing and boundary value problems using number-theoretic transforms 37 (3) (1994) 405-414
- Hsueh, Y.-C., Mathematical morphology on *l*-images 26 (2) (1992) 221-241
- Hu, R. and M.M. Fahmy, Texture segmentation based on a hierarchical Markov random field model 26 (3) (1992) 285-305
- Hu, Z. and J. Destin , Parameter probability density analysis for the Hough transform 33 (2) (1993) 159-168

| | | |
|--|----|----------------------|
| Hua, Y. and T.K. Sarkar, Matrix pencil and system poles | 21 | (2) (1990) 195-198 |
| Hua, Y. and T.K. Sarkar, Parameter estimation of multiple transient signals | 28 | (1) (1992) 109-115 |
| Hua, Y., High resolution imaging of continuously moving object using stepped frequency radar | 35 | (1) (1994) 33- 40 |
| Hua, Y. and J.B. Evans, Statistical analysis of the SDMP method for parameter estimation of multiple transients | 35 | (2) (1994) 163-171 |
| Hua, Y., <i>see</i> H. Yang | 40 | (2-3) (1994) 257-268 |
| Huang, S.J., <i>see</i> S.N. Koh | 24 | (3) (1991) 283-289 |
| Huang, Y.-M., <i>see</i> J.-L. Wu | 26 | (1) (1992) 27- 36 |
| Hui, S.K., <i>see</i> M.H. Er | 29 | (1) (1992) 57- 65 |
| Hwang, J.-K. and Y.-C. Chen, A combined detection-estimation algorithm for the harmonic-retrieval problem | 30 | (2) (1993) 177-197 |
| Hypki, A., <i>see</i> A. Kummert | 26 | (1) (1992) 61- 93 |
| | | |
| Ibn Kahla, M., Z. Faraj, F. Castanie and J.C. Hoffmann, Multi-layer adaptive filters trained with back propagation: A statistical approach | 40 | (1) (1994) 65- 85 |
| Ibrahim, M.K., Novel digital filter implementations using hybrid RNS-binary arithmetic | 40 | (2-3) (1994) 287-294 |
| Iliev, P. and L. Tsekov, Motion detection using image histogram sequence analysis | 30 | (3) (1993) 373-384 |
| Illingworth, J., <i>see</i> I. Ng | 31 | (2) (1993) 133-163 |
| Istefanopulos, Y., <i>see</i> E. Anarim | 24 | (3) (1991) 291-298 |
| Izzo, L., <i>see</i> G. Gelli | 31 | (1) (1993) 17- 29 |
| | | |
| Jacobi, U., <i>see</i> E.R. Dougherty | 29 | (3) (1992) 265-281 |
| Jacobs, E.W., Y. Fisher and R.D. Boss, Image compression: A study of the iterated transform method | 29 | (3) (1992) 251-263 |
| Jacobsen, S., Introduction of the bivariate squared coherence spectrum and its application to radar | 36 | (2) (1994) 139-148 |
| Jacquemod, G., C. Odet and R. Goutte, Image resolution enhancement using subpixel camera displacement | 26 | (1) (1992) 139-146 |
| Jagadeesha, S.N., S.N. Sinha and D.K. Mehra, A recursive modified Gram-Schmidt algorithm based adaptive beamformer | 39 | (1-2) (1994) 69- 78 |
| James, B., <i>see</i> R.C. Williamson | 37 | (3) (1994) 309-331 |
| Jaw, S.-B., <i>see</i> S.-C. Pei | 37 | (2) (1994) 265-274 |
| Jelonnek, B. and K.D. Kammeyer, A closed-form solution to blind equalization | 36 | (3) (1994) 251-259 |
| Jentink, H.W., <i>see</i> M.H. Koelink | 38 | (2) (1994) 239-252 |
| Jesus, S.M., A mode subspace approach for source localization in shallow water | 28 | (1) (1992) 117-122 |
| Jhee, Y.K., <i>see</i> J.C. Son | 33 | (3) (1993) 259-268 |
| Jiang, X.-Q. and G. Kitagawa, A time varying coefficient vector AR modeling of nonstationary covariance time series | 33 | (3) (1993) 315-331 |
| Jiang, X.Y. and H. Bunke, On error analysis for surface normals determined by photometric stereo | 23 | (3) (1991) 221-226 |
| Jones, D.L., <i>see</i> R.G. Baraniuk | 32 | (3) (1993) 263-284 |
| Joshi, S.D., <i>see</i> H. Parthasarathy | 37 | (2) (1994) 171-188 |
| Jullien, G.A., <i>see</i> Z. Wang | 36 | (1) (1994) 99-109 |

- Jumarie, G., Nonlinear filtering. A weighted mean squares approach and a Bayesian one via the maximum entropy principle 21 (4) (1990) 323-338
- Jun, B.-E. and D.-J. Park, Novel steepest descent adaptive filter derived from new performance function with additional exponential term 36 (2) (1994) 189-199
- Jurie, F., *see* R. Chapuis 24 (3) (1991) 331-343
- Jutten, C. and J. Herault, Blind separation of sources, Part I: An adaptive algorithm based on neuromimetic architecture 24 (1) (1991) 1- 10
- Jutten, C., *see* P. Comon 24 (1) (1991) 11- 20
- Kabal, P., *see* R.P. Ramachandran 21 (3) (1990) 261-274
- Kabal, P. and E. Dubois, Interpolating and Nyquist filters with constraints at certain frequencies 24 (2) (1991) 117-126
- Kailath, T., *see* D.T.M. Slock 28 (1) (1992) 25- 45
- Kailath, T., *see* D.T.M. Slock 28 (1) (1992) 47- 61
- Kailath, T., *see* P. Park 40 (2-3) (1994) 311-318
- Kalashnikov, A.N. and Nazarenko, A.F., The design of the maximal SNR linear phase FIR digital filters 40 (2-3) (1994) 307-310
- Kalouptsidis, N., *see* G.-O. Glentis 37 (1) (1994) 15- 60
- Kalouptsidis, N., *see* G.-O. Glentis 37 (3) (1994) 437-462
- Kammeyer, K.D., *see* B. Jelonnek 36 (3) (1994) 251-259
- Kanefsky, M., *see* W.W. Boles 21 (1) (1990) 37- 47
- Kangas, A., Algorithms for adaptive factorization of polynomials 35 (1) (1994) 67- 74
- Kanjilal, P.P. and S. Palit, The singular value decomposition - Applied in the modelling and prediction of quasiperiodic processes 35 (3) (1994) 257-267
- Kanjilal, P.P., *see* S. Palit 40 (2-3) (1994) 269-285
- Kannan, N. and D. Kundu, On modified EVLP and ML methods for estimating superimposed exponential signals 39 (3) (1994) 223-233
- Karayiannis, N.B. and A.N. Venetsanopoulos, Image interpolation based on variational principles 25 (3) (1991) 259-288
- Karl, W.C., *see* T.S. Chin 28 (3) (1992) 311-333
- Karrakchou, M., J. Vidal, J.M. Vesin, F. Feihl, C. Perret and M. Kunt, Parameter estimation of decayed exponentials by projection on the parameter space 27 (1) (1992) 99-107
- Katsikas, S.K., S.D. Likothanassis and D.G. Lainiotis, On the parallel implementations of linear Kalman and Lainiotis filters and their efficiency 25 (3) (1991) 289-305
- Kaup, A., *see* T. Aach 31 (2) (1993) 165-180
- Kayran A.H., *see* A. Ertüzün 28 (1) (1992) 1- 24
- Kesler, S.B., *see* A.S. Elfishawy 23 (2) (1991) 179-191
- Kheirallah, I., *see* L. Deng 33 (3) (1993) 269-285
- Kim, C.-J., D.-S. Han and H.-S. Lee, Generalized OS CFAR detector with noncoherent integration 31 (3) (1993) 43- 56
- Kim, H.M., *see* J.C. Son 28 (2) (1992) 183-194
- Kim, H.M., *see* J. Choi 34 (2) (1993) 179-192
- Kim, H.M., *see* J. Choi 34 (2) (1993) 193-205
- Kim, J. and I. Song, A suboptimum quantization-detection scheme using input amplitude compression 21 (4) (1990) 315-321
- Kim, R.C. and S.U. Lee, Entropy constrained predictive vector quantization of speech 28 (1) (1992) 7- 90

| | | |
|--|----|----------------------|
| Kim, S., <i>see</i> J. Choi | 30 | (1) (1993) 123-131 |
| Kim, S., <i>see</i> J. Choi | 34 | (2) (1993) 179-192 |
| Kim, S.-D., <i>see</i> J.-H. Lee | 34 | (3) (1993) 341-345 |
| Kim, S.-D., <i>see</i> J.-H. Lee | 35 | (2) (1994) 157-162 |
| Kim, S.Y., <i>see</i> J.C. Son | 28 | (2) (1992) 183-194 |
| Kim, S.Y., <i>see</i> J. Choi | 30 | (1) (1993) 123-131 |
| Kim, S.Y. <i>see</i> J.C. Son | 33 | (3) (1993) 259-268 |
| Kim, S.Y., <i>see</i> J. Choi | 34 | (2) (1993) 179-192 |
| Kishi, G., <i>see</i> S. Hayashi | 35 | (3) (1994) 285-293 |
| Kitagawa, G. <i>see</i> X.-Q. Jiang | 33 | (3) (1993) 315-331 |
| Kitchen, J., A method for estimating the coefficients of a polynomial phase signal | 37 | (3) (1994) 463-470 |
| Kittel, W.A. and M.H. Hayes, Symbolic representation of process monitoring signals | 29 | (1) (1992) 93-106 |
| Kittler, J., <i>see</i> I. Ng | 31 | (2) (1993) 133-163 |
| Ko, C.C., Broadband linearly constrained adaptive array processing with a preprocessed Gram-Schmidt algorithm | 23 | (1) (1991) 15- 25 |
| Ko, C.C., Resolution of coherent sources by using a fast phase shifting based null steering algorithm | 25 | (1) (1991) 11- 22 |
| Ko, C.C., G. Balabhaskar and R. Bachl, Unbiased source estimation with an adaptive null steering algorithm | 31 | (3) (1993) 283-300 |
| Koelink, M.H., F.F.M. De Mul, B. Leerkotte, J. Greve, H.W. Jentink, R. Graaff, A.C.M. Dassel and J.G. Aarnoudse, Signal processing for a laser-Doppler blood perfusion meter | 38 | (2) (1994) 239-252 |
| Koh, S.N., S.J. Huang and H.K. Tang, Development of order-16 integer transforms | 24 | (3) (1991) 283-289 |
| Koh, S.N., <i>see</i> M.H. Er | 34 | (3) (1993) 323-334 |
| Kollias, S., <i>see</i> L. Sukissian | 36 | (2) (1994) 209-232 |
| Konvalinka, I., A new class of two-dimensional windows for bispectrum estimation | 37 | (2) (1994) 147-156 |
| Kootsookos, P.J., <i>see</i> R.C. Williamson | 37 | (3) (1994) 309-331 |
| Kot, C., <i>see</i> B.P. Ng | 40 | (2-3) (1994) 319-323 |
| Kotropoulos, C. and I. Pitas, Constrained adaptive LMS L -filters | 26 | (3) (1992) 335-358 |
| Koukoutsis, E., <i>see</i> G. Carayannis | 24 | (3) (1991) 253-269 |
| Koukoutsis, E., <i>see</i> C. Papaodysseus | 25 | (2) (1991) 215-226 |
| Koundinya, K.N.V.L.N. and B. Chanda, Detecting lines in gray level images using search techniques | 37 | (2) (1994) 287-299 |
| Kovačević, B.D., <i>see</i> M.DJ. Veinović | 37 | (2) (1994) 189-201 |
| Kozek, W., Time-frequency signal processing based on the Wigner-Weyl framework | 29 | (1) (1992) 77- 92 |
| Kraus, E.J., H.J.A.M. Heijmans and E.R. Dougherty, Gray-scale granulometries compatible with spatial scalings | 34 | (1) (1993) 1- 17 |
| Kresch, R. and D. Malah, Morphological reduction of skeleton redundancy | 38 | (1) (1994) 143-151 |
| Krishna Mohan, P.G., <i>see</i> P.S. Naidu | 24 | (1) (1991) 31- 42 |
| Krishnamurthy, V., J.B. Moore and S.-H. Chung, On hidden fractal model signal processing | 24 | (2) (1991) 177-192 |
| Kumar, B., <i>see</i> H. Shah | 27 | (2) (1992) 117-124 |

- Kumar, B., S.C. Dutta Roy and S. Sabharwal, Interrelations between the coefficients of FIR digital differentiators and other FIR filters and a versatile multifunction configuration 39 (3) (1994) 247-262
- Kummert, A., S. Hartwig and A. Hypki, A new adaptive lattice filter for the ARMA modeling of vector signals 26 (1) (1992) 61-93
- Kummert, F., H. Niemann, R. Prechtel and G. Sagerer, Control and explanation in a signal understanding environment 32 (1-2) (1993) 111-145
- Kundu, D., *see* N. Kannan 39 (3) (1994) 223-233
- Kung, L.-S. and J.-C. Samin, A procedure of reading mechanical engineering drawings for CAD applications 32 (1-2) (1993) 191-200
- Kunt, M., Editorial 22 (1) (1991) 1-2
- Kunt, M., *see* M. Karrakchou 27 (1) (1992) 99-107
- Kunt, M., *see* P. Salembier 27 (2) (1992) 205-241
- Kunt, M., *see* W. Li 38 (1) (1994) 45-56
- Kuo, S.M. and Z. Pan, Development and analysis of distributed acoustic echo cancellation microphone system 37 (3) (1994) 333-344
- Kwon, O.W., C.K. Un and J.C. Lee, Performance of constant modulus adaptive digital filters for interference cancellation 26 (2) (1992) 185-196
- Laakso, T.I., S.J. Ovaska and O. Vainio, Implementation of a time-varying MIMO system with error feedback 33 (1) (1993) 81-93
- Lacaze, B., Statistical remarks about multipath-fading in microwave links 36 (2) (1994) 233-237
- Lacoume, J.L., *see* J. Mars 26 (2) (1992) 147-159
- Lacoume, J.-L., *see* P.-O. Amblard 36 (3) (1994) 277-286
- Lagendijk, R.L., *see* F. Bosveld 28 (3) (1992) 271-289
- Lagunas, M.-A., *see* M.D. Ortigueira 25 (1) (1991) 35-49
- Lagunas, M.A. and M. Nájar, Source reference in CIR beamforming 29 (2) (1992) 141-149
- Lainiotis, D.G., *see* S.K. Katsikas 25 (3) (1991) 289-305
- Lam, L. and C.Y. Suen, A dynamic shape preserving thinning algorithm 22 (2) (1991) 199-208
- Landi, L., *see* A. Del Bimbo 32 (1-2) (1993) 147-160
- Lang, M., Optimal weighted phase equalization according to the L_∞ -norm 27 (1) (1992) 87-98
- Lang, M. and J. Bamberger, Nonlinear phase FIR filter design according to the L_2 norm with constraints for the complex error 36 (1) (1994) 31-40
- Lang, M. and J. Bamberger, Nonlinear phase FIR filter design according to the L_2 norm with constraints for the complex error (Erratum) 38 (2) (1994) 259-268
- Lavagetto, F. and S. Zappatore, Adaptive vector quantization for fixed bit-rate videocoding 34 (1) (1993) 19-31
- Lavielle, M., Bayesian deconvolution of Bernoulli-Gaussian processes 33 (1) (1993) 67-79
- Lavorgna, M., *see* A. Chimienti 28 (2) (1992) 153-162
- Le, H.T. and E.J. Wegman, A spectral representation for the class of band-limited functions 33 (1) (1993) 35-44
- Le Cadre, J.-P. *see* O. Zugmeyer 33 (2) (1993) 131-138
- Le Cadre, J.P. *see* O. Zugmeyer 33 (3) (1993) 287-314
- Le Cadre, J.P. and O. Zugmeyer, A new approach to the estimation of source motion parameters, Part 2 37 (3) (1994) 425-435
- Le Guyader, A., *see* S. Saoudi 28 (2) (1992) 201-212
- Le Roux, J. and P. Solé, Least-squared error reconstruction of a deterministic sampled signal Fourier transform logarithm from its N -th order polyspectrum logarithm 35 (1) (1994) 75-81

| | | |
|---|----|----------------------|
| Le Roux J., C. Coroyer and D. Rossille, Illustration of the effects of sampling on higher-order spectra | 36 | (3) (1994) 375-390 |
| Lee, H.-S., <i>see</i> D.-S. Han | 31 | (1) (1993) 31- 42 |
| Lee, H.-S., <i>see</i> C.-J. Kim | 31 | (1) (1993) 43- 56 |
| Lee, J.C., <i>see</i> O.W. Kwon | 26 | (2) (1992) 185-196 |
| Lee, J.-H. and S.-D. Kim, The effect of spatial filtering on accuracy of motion constraint equation | 34 | (3) (1993) 341-345 |
| Lee, J.-H. and S.-D. Kim, An error analysis of gradient-based methods | 35 | (2) (1994) 157-162 |
| Lee, J.-H., <i>see</i> S.-J. Yu | 37 | (3) (1994) 365-380 |
| Lee, K.Y., <i>see</i> I. Song | 23 | (1) (1991) 79- 88 |
| Lee, L.-S., <i>see</i> G.-S. Chen | 34 | (1) (1993) 123-129 |
| Lee, S.S., <i>see</i> S. Choi | 34 | (3) (1993) 297-310 |
| Lee, S.U., <i>see</i> S.H. Park | 22 | (1) (1991) 25- 42 |
| Lee, S.U., <i>see</i> R.C. Kim | 28 | (1) (1992) 77- 90 |
| Lee, S.-W. and W.-S. Hsu, VLSI systolic multiplier and adder for digital signal processing | 23 | (2) (1991) 205-213 |
| Lee, S.-W. and W.-H. Hsu, Parallel prime-factor discrete Hartley transform on the orthogonal multiprocessor | 33 | (2) (1993) 169-182 |
| Leerkotte, B., <i>see</i> M.H. Koelink | 38 | (2) (1994) 239-252 |
| Leich, H., <i>see</i> R. Boite | 27 | (2) (1992) 109-116 |
| Leich, H., <i>see</i> G. Yang | 31 | (2) (1993) 215-227 |
| Leou, F.-C. and Y.-C. Chen, A countour-based image coding technique with its texture information reconstructed by polyline representation | 25 | (1) (1991) 81- 89 |
| Lepsøy, S., <i>see</i> G.E. Øien | 40 | (1) (1994) 105-117 |
| Leung, H., T. Lo and J. Litva, Angle-of-arrival estimation in multipath environment using chaos theory | 31 | (1) (1993) 57- 68 |
| Leung, H., T. Lo and J. Litva, Nonlinear adaptive signal processing based on rational function | 38 | (2) (1994) 153-168 |
| Li, D., <i>see</i> D. Achilles | 24 | (1) (1991) 61- 76 |
| Li, D., Finite-time-domain synthesis of linear time-variant digital filters by difference equations | 39 | (1-2) (1994) 167-177 |
| Li, F. and R.J. Vaccaro, Unified analysis for DOA estimation algorithms in array signal processing | 25 | (2) (1991) 147-169 |
| Li, S., <i>see</i> S. Qian | 27 | (2) (1992) 177-185 |
| Li, W. and M. Kunt, Morphological segmentation applied to displaced frame difference coding | 38 | (1) (1994) 45- 56 |
| Liavas, A., <i>see</i> S. Theodoridis | 24 | (2) (1991) 165-176 |
| Liavas, A. and S. Theodoridis, Efficient Levinson- and Schur-type algorithms for block near-to-Toeplitz systems of equations | 35 | (3) (1994) 241-255 |
| Lie, W.-N., An efficient threshold-evaluation algorithm for image segmentation based on spatial graylevel co-occurrences | 33 | (1) (1993) 121-126 |
| Ligdas, P. and I. Pitas, Parallel algorithms and architectures for 2-D butterfly-like transforms | 34 | (1) (1993) 33- 41 |
| Likothanassis, S.D. <i>see</i> S.K. Katsikas | 25 | (3) (1991) 289-305 |
| Lilleberg, J., <i>see</i> R. Wichman | 38 | (3) (1994) 345-357 |
| Lilleberg, J., <i>see</i> R. Wichman | 40 | (2-3) (1994) 341 |
| Lim, S.S., <i>see</i> M. Farooq | 30 | (2) (1993) 221-233 |
| Lin, B.-H., <i>see</i> B.-S. Chen | 27 | (2) (1992) 161-176 |

- Lin, L., G.B. Adams III and E.J. Coyle, Stack filter lattice 38 (3) (1994) 277-297
- Lin, L., *see* G.B. Adams III 38 (3) (1994) 441-453
- Lin, P. and S. Mao, Non-Gaussian ARMA identification via higher order cumulant 33 (3) (1993) 357-362
- Litva, J., *see* H. Leung 31 (1) (1993) 57-68
- Litva, J., *see* H. Leung 38 (2) (1994) 153-168
- Liu, C., *see* F.A. Marvasti 36 (1) (1994) 13-30
- Liu, G., Fourier phase retrieval algorithm with noise constraints 21 (4) (1990) 339-347
- Lo, C., *see* X.-G. Xia 36 (1) (1994) 55-69
- Lo, T., *see* H. Leung 31 (1) (1993) 57-68
- Lo, T., *see* H. Leung 38 (2) (1994) 153-168
- Loce, R.P., *see* E.R. Dougherty 40 (2-3) (1994) 129-154
- Loh, N.K., *see* X. Yu 32 (3) (1993) 409-415
- López-Krahe, J., *see* E. Martí 32 (1-2) (1993) 91-110
- Lopez-Krahe, J., *see* P. Chauvet 32 (1-2) (1993) 161-190
- Lu, F. and E.E. Milios, Optimal spline fitting to planar shape 37 (1) (1994) 129-140
- Lu, W., *see* Y. Wang 26 (1) (1992) 17-26
- Lu, Y., *see* J.M. Morris 40 (2-3) (1994) 155-181
- Lucke, L.E., *see* G.B. Adams III 38 (3) (1994) 441-453
- Lucke, R.L., Nyquist reconstruction as the limit of trigonometric interpolation 34 (2) (1993) 223-230
- Luk, F.T., *see* A.W. Bojanczyk 25 (2) (1991) 189-201
- Lux, P.W. and C.H. Schaefer, Range imaging for autonomous navigation of robotic land vehicles 22 (3) (1991) 299-311
- Lyandres, V. and S. Briskin, On an approach to moving-average filtering 34 (2) (1993) 163-178
- Lynn Kirlin, R., *see* L. Torres-Urgell 21 (4) (1990) 303-313
- Macchi, O., *see* J.C. Pesquet 31 (1) (1993) 1-15
- Macq, B., *see* C. Ronse 25 (1) (1991) 91-105
- Mahapatra, R.N. and S. Mahapatra, Modelling a 2-D inverse fast cosine transform algorithm on a multistage network 30 (2) (1993) 235-243
- Mahapatra, S., *see* R.N. Mahapatra 30 (2) (1993) 235-243
- Maître, H., *see* P. Chauvet 32 (1-2) (1993) 161-190
- Malah, D., *see* R. Kresch 38 (1) (1994) 143-151
- Mammone, R.J., *see* A.B. Fineberg 29 (1) (1992) 29-44
- Manis, G., *see* G. Papakonstantinou 37 (3) (1994) 415-423
- Manolakos, E.S., *see* H.M. Stellakis 36 (3) (1994) 341-354
- Mao, S. *see* P. Lin 33 (3) (1993) 357-362
- Maouche, K., *see* D.T.M. Slock 40 (1) (1994) 5-20
- Marabini, R. and J.M. Carazo, Practical issues on invariant image averaging using the Bispectrum 40 (2-3) (1994) 119-128
- Maragos, P., *see* A. Potamianos 37 (1) (1994) 95-120
- Maragos, P., Morphological systems: Slope transforms and max-min difference and differential equations 38 (1) (1994) 57-77
- Mars, J., N. Martin, J.L. Lacoume and M. Dubesset, Analysis of signals over short time-windows 26 (2) (1992) 147-159
- Martí, E., J. Regincós, J. López-Krahe and J.J. Villanueva, Hand line drawing interpretation as three-dimensional objects 32 (1-2) (1993) 91-110
- Martin, N., *see* J. Mars 26 (2) (1992) 147-159

| | | |
|--|----|----------------------|
| Martínez-Aroza, J., <i>see</i> R. Román-Roldán | 24 | (1) (1991) 77- 91 |
| Marvasti, F.A., C. Liu and G. Adams, Analysis and recovery of multidimensional signals from irregular samples using nonlinear and iterative techniques | 36 | (1) (1994) 13- 30 |
| McLaughlin, S., <i>see</i> F.-C. Zheng | 30 | (2) (1993) 199-219 |
| McLaughlin, S., <i>see</i> F.-C. Zheng | 31 | (3) (1993) 313-327 |
| McLaughlin, S., <i>see</i> S. Chen | 35 | (1) (1994) 19- 31 |
| McLaughlin, S., <i>see</i> S. Chen | 36 | (2) (1994) 175-188 |
| McWhorter, L.T., <i>see</i> L.L. Scharf | 31 | (3) (1993) 301-311 |
| Mecocci, A., F. Bartolini and V. Cappellini, Image sequence analysis for counting in real time people getting in and out of a bus | 35 | (2) (1994) 105-116 |
| Medouri, A., <i>see</i> A. Gallego | 37 | (3) (1994) 381-388 |
| Mehra, D.K., A generalized least squares fast transversal filter algorithm for the decision feedback equalization of dispersive channels | 21 | (3) (1990) 241-250 |
| Mehra, D.K., <i>see</i> S.N. Jagadeesha | 39 | (1-2) (1994) 69- 78 |
| Menez, J., <i>see</i> T. Pitarque | 22 | (3) (1991) 231-238 |
| Messer, H., Source localization performance and the array beam pattern | 28 | (2) (1992) 163-181 |
| Messer, H., <i>see</i> I. Sharfer | 38 | (2) (1994) 169-186 |
| Mester, R., <i>see</i> T. Aach | 31 | (2) (1993) 165-180 |
| Meyer, F., Topographic distance and watershed lines | 38 | (1) (1994) 113-125 |
| Milios, E.E., <i>see</i> F. Lu | 37 | (1) (1994) 129-140 |
| Miller, W.C., <i>see</i> X. Yu | 32 | (3) (1993) 409-415 |
| Miller, W.C., <i>see</i> Z. Wang | 36 | (1) (1994) 99-109 |
| Milosavljević, M.M., <i>see</i> M.D. Veinović | 37 | (2) (1994) 189-201 |
| Min, B.J. and C.K. Un, A fast transversal filtering algorithm for pole-zero modeling | 37 | (1) (1994) 61- 72 |
| Mirkin, A.N., <i>see</i> J.A. Tague | 29 | (3) (1992) 299-307 |
| Mitra, S.K., <i>see</i> N. Benvenuto | 23 | (2) (1991) 109-119 |
| Mitra, S.K., <i>see</i> M. Renfors | 29 | (2) (1992) 173-181 |
| Mohamed, S.A. and M.M. Fahmy, Image compression using block pattern-vector quantization | 34 | (1) (1993) 69- 84 |
| Moir, T.J., <i>see</i> A.J. Anderson | 22 | (2) (1991) 209-213 |
| Moir, T.J., <i>see</i> D.R. Campbell | 26 | (2) (1992) 177-183 |
| Molander, S. and H. Broman, Knowledge-based segmentation and state-based control in image analysis: Two examples from the biomedical domain | 32 | (1-2) (1993) 201-215 |
| Monnier, R., <i>see</i> T. De Couasnon | 39 | (1-2) (1994) 1- 32 |
| Moonen, M. and J. Vandewalle, Recursive least squares with stabilized inverse factorization | 21 | (1) (1990) 1- 15 |
| Moonen, M., P. van Dooren and J. Vandewalle, A systolic algorithm for QSVD updating | 25 | (2) (1991) 203-213 |
| Moonen, M., <i>see</i> F. Vanpoucke | 40 | (1) (1994) 39- 52 |
| Moore, J.B., <i>see</i> V. Krishnamurthy | 24 | (2) (1991) 177-192 |
| Morgül, A. and D. Dzung, Decision directed channel parameter estimation and tracking using erroneous detectors | 25 | (3) (1991) 307-318 |
| Morizet-Mahoudeaux, P., <i>see</i> G.L. Nie | 23 | (2) (1991) 121-136 |
| Morris, J.M., <i>see</i> S. Qian | 27 | (2) (1992) 125-144 |
| Morris, J.M. and H. Xie, Fast algorithms for generalized discrete Gabor expansion | 39 | (3) (1994) 317-331 |

- Morris, J.M. and Y. Lu, Discrete Gabor expansion of discrete-time signals in $l^2(\mathbb{Z})$ via frame theory 40 (2-3) (1994) 155-181
- Moses, R.L., *see* P. Stoica 21 (4) (1990) 349-350
- Moses, R.L., *see* P. Stoica 26 (1) (1992) 95-118
- Mulgrew, B., *see* S. Chen 28 (1) (1992) 91-107
- Mulgrew, B., *see* F.-C. Zheng 30 (2) (1993) 199-219
- Mulgrew, B., *see* F.-C. Zheng 31 (3) (1993) 313-327
- Mulgrew, B., *see* S. Chen 35 (1) (1994) 19-31
- Mulgrew, B., *see* S. Chen 36 (2) (1994) 175-188
- Mullick, S.K., *see* V.A. Topkar 22 (2) (1991) 127-137
- Murenzi, R., *see* J.-P. Antoine 31 (3) (1993) 241-272
- Murino, V., *see* G.L. Foresti 32 (1-2) (1993) 217-255
- Murthy, H.A. and B. Yegnanarayana, Speech processing using group delay functions 22 (3) (1991) 259-267
- Murthy, I.S.N., *see* U.C. Niranjan 31 (2) (1993) 191-202
- Nadeu, C., Finite length cepstrum modelling - A simple spectrum estimation technique 26 (1) (1992) 49-59
- Nagel, P., Non-causal complementary filters 29 (2) (1992) 151-164
- Naidu, P.S. and P.G. Krishna Mohan, Signal subspace approach in localization of sound source in shallow water 24 (1) (1991) 31-42
- Naidu, P.S. and H.R. Udaya Shankar, Source localization in a wedge shaped shallow sea 29 (2) (1992) 213-223
- Naidu, P.S., *see* C.U. Padmini 37 (2) (1994) 243-254
- Nájar, M., *see* M.A. Lagunas 29 (2) (1992) 141-149
- Najim, M., *see* M. Bakrim 39 (1-2) (1994) 107-115
- Najman, L. and M. Schmitt, Watershed of a continuous function 38 (1) (1994) 99-112
- Nakamori, S., New design of estimators using covariance information based on an innovations approach 24 (3) (1991) 271-282
- Nakamori, S., Optimal filtering algorithm using covariance information in linear discrete-time distributed parameter systems 33 (1) (1993) 45-56
- Nandi, A.K., Blind identification of FIR systems using third order cumulants 39 (1-2) (1994) 131-147
- Nandi, A.K., *see* J.R. Dickie 40 (2-3) (1994) 239-255
- Napolitano, A., *see* G. Gelli 31 (1) (1993) 17-29
- Narasimhan, S.V., G.R. Reddy, E.I. Plotkin and M.N.S. Swamy, Phase estimation by bispectrum: A group delay approach 27 (1) (1992) 79-86
- Nazarenko, A.F., *see* A.N. Kalashnikov 40 (2-3) (1994) 307-310
- Neagoe, V., Applying pattern recognition principles for intelligent detection of FSK signals 32 (1-2) (1993) 257-261
- Neagoe, V.-E., A two-dimensional nonuniform sampling expansion model 33 (1) (1993) 1-21
- Neejärvi, J., A., Värri, S. Fotopoulos and Y. Neuvo, Weighted FMH filters 31 (2) (1993) 181-190
- Nesi, P., *see* A. Del Bimbo 27 (1) (1992) 37-49
- Neuvo, Y., *see* M. Renfors 29 (2) (1992) 173-181
- Neuvo, Y., *see* J. Neejärvi 31 (2) (1993) 181-190
- Neuvo, Y., *see* Q. Wang 34 (2) (1993) 131-148
- Neuvo, Y., *see* J. Niewęglowski 34 (2) (1993) 149-161
- Neuvo, Y., *see* T. Sun 35 (3) (1994) 215-229
- Neuvo, Y., *see* T. Sun 38 (3) (1994) 331-344

- Neuvo, Y., *see* R. Wichman 38 (3) (1994) 345-357
 Neuvo, Y., *see* R. Wichman 40 (2-3) (1994) 341
 Ng, A.P.-C., *see* K.-C. Tan 31 (2) (1993) 203-214
 Ng, B.C., *see* M.H. Er 30 (1) (1993) 115-121
 Ng, B.P., M.H. Er and C. Kot, A MUSIC approach for estimation of directions of arrival of multiple narrowband and broadband sources 40 (2-3) (1994) 319-323
 Ng, I., J. Kittler and J. Illingworth, Supervised segmentation using a multiresolution data representation 31 (2) (1993) 133-163
 Nie, G.L., P. Morizet-Mahoudeaux and P. Gaillard, Application of the AI techniques to signal processing: A knowledge-based system for digital filter synthesis 23 (2) (1991) 121-136
 Niemann, H., *see* F. Kummert 32 (1-2) (1993) 111-145
 Niewęglowski, J., M. Gabbouj and Y. Neuvo, Weighted medians - Positive Boolean functions algorithms 34 (2) (1993) 149-161
 Nikias, C.L., *see* J.R. Fonollosa 36 (3) (1994) 315-328
 Nikolaidis, N. and I. Pitas, Directional statistics in nonlinear vector field filtering 38 (3) (1994) 299-316
 Nikolaidis, S.S., S. Theodoridis and C.E. Goutis, Array processor for block adaptive LS FIR filtering 39 (1-2) (1994) 215-222
 Niranjana, U.C. and I.S.N. Murthy, ECG component delineation by Prony's method 31 (2) (1993) 191-202
 Nowak, R.D. and B.D. Van Veen, Efficient methods for identification of Volterra filter models 38 (3) (1994) 417-428
 Nugent, S.T., *see* S.R. Pillai 35 (2) (1994) 141-147
- Odet, C., *see* G. Jacquemod 26 (1) (1992) 139-146
 Oh, G.-L., *see* K.-C. Tan 34 (3) (1993) 245-256
 Oh, G.-L., *see* K.-C. Tan 35 (3) (1994) 295-303
 Oh, S.K. and C.K. Un, Fast initialization procedure of the alternating projection algorithm for maximum likelihood localization of multiple sources 25 (3) (1991) 381-389
 Oh, T.S., *see* I. Song 25 (3) (1991) 345-359
 Øien, G.E. and S. Lepsoy, Fractal-based image coding with fast decoder convergence 40 (1) (1994) 105-117
 Ojeda, R. and E.J. Tacconi, Huffman sequences with uniform time energy distribution 37 (1) (1994) 141-146
 Olkkonen, H., Computation of running discrete Hartley transform coefficients 25 (1) (1991) 107-110
 Ong, S.H., *see* V. Srinivasan 31 (2) (1993) 229-233
 Orr, M.J.L., Combining occluded surface boundaries 32 (1-2) (1993) 57-72
 Orr, R.S., Derivation of Gabor transform relations using Bessel's equality 30 (2) (1993) 257-262
 Orr, R.S., Derivation of the finite discrete Gabor transform by periodization and sampling 34 (1) (1993) 85-97
 Ortigueira, M.D. and M.-A. Lagunas, Eigendecomposition versus singular value decomposition in adaptive array signal processing 25 (1) (1991) 35-49
 Ortigueira, M.D., ARMA realization from the reflection coefficient sequence 32 (3) (1993) 329-342
 Ovaska, S.J., Newton-type predictors - A signal processing oriented viewpoint 25 (2) (1991) 251-257
 Ovaska, S.J., *see* T.I. Laakso 33 (1) (1993) 81-93

- Padmini, C.U. and P.S. Naidu, Circular array and estimation of direction of arrival of a broadband source 37 (2) (1994) 243-254
- Páez Borrillo, J.M., *see* L. Vergara Domínguez 22 (3) (1991) 239-250
- Páez Borrillo, J.M. and M. García Otero, On the implementation of a partitioned block frequency domain adaptive filter (PBFDAF) for long acoustic echo cancellation 27 (3) (1992) 301-315
- Pal, N.R. and D. Bhandari, Image thresholding: Some new techniques 33 (2) (1993) 139-158
- Palit, S., *see* P.P. Kanjilal 35 (3) (1994) 257-267
- Palit, S. and P.P. Kanjilal, On the singular value decomposition, applied in the analysis and prediction of almost periodic signals 40 (2-3) (1994) 269-285
- Pan, Z., *see* S.M. Kuo 37 (3) (1994) 333-344
- Panayirci, E., *see* A. Ertüzün 28 (1) (1992) 1-24
- Papakonstantinou, G., P. Tsanakas and G. Manis, Parallel approaches to piecewise linear approximation 37 (3) (1994) 415-423
- Papantoni-Kazakos, P. *see* H. Delic 33 (2) (1993) 223-233
- Papaodysseus, C., E. Koukoutsis and G. Carayannis, Polynomial bounds for the linear prediction coefficients 25 (2) (1991) 215-226
- Pardàs, M. and P. Salembier, 3D morphological segmentation and motion estimation for image sequences 38 (1) (1994) 31-43
- Parhi, K.K., *see* G.B. Adams III 38 (3) (1994) 441-453
- Park, D.-J., *see* B.-E. Jun 36 (2) (1994) 189-199
- Park, P. and T. Kailath, An extended inverse QR adaptive filtering algorithm 40 (2-3) (1994) 311-318
- Park, S. and C.K. Un, Parallel modified spatial smoothing algorithm for coherent interference cancellation 24 (3) (1991) 299-317
- Park, S.H. and S.U. Lee, A pyramid image coder using classified transform vector quantization 22 (1) (1991) 25-42
- Park, Y., *see* Y. Han 25 (3) (1991) 337-344
- Parthasarathy, H., S. Prasad and S.D. Joshi, A MUSIC-like method for estimating quadratic phase coupling 37 (2) (1994) 171-188
- Paulraj, A., *see* V.Ch. Venkaiah 36 (1) (1994) 91-98
- Paura, L., *see* G. Gelli 31 (1) (1993) 17-29
- Pavešić, N., Optimal encoding of statistically independent features in pattern recognition 24 (3) (1991) 345-352
- Pawlak, M., *see* W. Greblicki 22 (1) (1991) 61-75
- Payne, P.A., *see* L. Cheded 39 (3) (1994) 293-315
- Pei, S.-C. and J.-J. Shyu, Design of real FIR filters with arbitrary complex frequency responses by two real Chebyshev approximations 26 (1) (1992) 119-129
- Pei, S.-C. and C.-C. Tseng, A novel structure for cascade form adaptive notch filters 33 (1) (1993) 95-110
- Pei, S.-C., *see* J.-J. Shyu 35 (2) (1994) 117-130
- Pei, S.-C. and J.-J. Shyu, Design of IIR multiband filters using IIR all-pass filters 37 (1) (1994) 87-94
- Pei, S.-C. and S.-B. Jaw, Two-dimensional general fan-type FIR digital filter design 37 (2) (1994) 265-274
- Pei, S.-C. and C.-C. Tseng, Real time cascade adaptive notch filter scheme for sinusoidal parameter estimation 39 (1-2) (1994) 117-130
- Pei, S.-C., *see* J.-J. Shyu 40 (2-3) (1994) 207-215
- Pei, S.-C. and M.-H. Yeh, Modulation-based time-variant filter design using Wigner distribution 40 (2-3) (1994) 335-340

- Pelle, G., *see* L. Dong 22 (1) (1991) 95-105
- Pena, T.F., *see* E.L. Zapata 27 (1) (1992) 51-64
- Peng, S.-C., *see* B.-S. Chen 25 (3) (1991) 361-372
- Peng, S.-C. and B.-S. Chen, A deconvolution filter for multichannel nonminimum phase systems via the minimax approach 36 (1) (1994) 71-90
- Peng, S.-C. *see* B.-S. Chen 39 (1-2) (1994) 149-166
- Perret, C., *see* M. Karrakchou 27 (1) (1992) 99-107
- Pesquet, J.C., O. Macchi and G. Tziritas, Soft-constrained LMS algorithms for decoder stability in backward adaptive predictive systems 31 (1) (1993) 1-15
- Philips, W., Coding properties of time-warped polynomial transforms 37 (2) (1994) 229-242
- Picco, R., *see* A. Chimienti 28 (2) (1992) 153-162
- Pieralli, C. and G., Tribillon, Countouring using interferometric fringe digital processing with the Hough transform: Application to the detection of cavities on polished surfaces 40 (2-3) (1994) 217-225
- Piette, B., *see* J.-P. Antoine 31 (3) (1993) 241-272
- Pignari, S. and F.G. Canavero, Amplitude errors in the Burg spectrum estimation of sinusoidal signals 22 (1) (1991) 107-112
- Pillai, S.R. and S.T. Nugent, Design of three channel power complementary filters with maximally flat characteristics 35 (2) (1994) 141-147
- Pitarque, T., G. Alengrin, A. Ferrari and J. Menez, A new state space algorithm for computing the frequencies of sinusoids in white noise 22 (3) (1991) 231-238
- Pitas, I. and S. Vougioukas, LMS order statistic filters adaptation by back-progation 25 (3) (1991) 319-335
- Pitas, I., *see* C. Kotropoulos 26 (3) (1992) 335-358
- Pitas, I., *see* G. Angelopoulos 30 (3) (1993) 355-371
- Pitas, I., *see* P. Ligdas 34 (1) (1993) 33-41
- Pitas, I., *see* N. Nikolaidis 38 (3) (1994) 299-316
- Plata, O.G., *see* E.L. Zapata 21 (1) (1990) 49-60
- Plotkin, E.I., *see* D. Wulich 21 (2) (1990) 183-194
- Plotkin, E.I., *see* S.V. Narasimhan 27 (1) (1992) 79-86
- Plotkin, E.I., M.N.S. Swamy and Y. Yoganandam, A novel iterative method for the reconstruction of signals from nonuniformly spaced samples 37 (2) (1994) 203-213
- Plotkin, E.I., *see* P.-Y. Zhao 37 (2) (1994) 275-285
- Pogány, T., On the aliasing error upper bound for homogeneous random fields 33 (1) (1993) 127-129
- Poletti, M.A., The development of instantaneous bandwidth via local signal expansion 31 (3) (1993) 273-281
- Porat, B., *see* D. Rosenfeld 30 (1) (1993) 31-47
- Portillo García J., *see* L. Vergara Domínguez 22 (3) (1991) 239-250
- Potamianos, A. and P. Maragos, A comparison of the energy operator and the Hilbert transform approach to signal and speech demodulation 37 (1) (1994) 95-120
- Prasad, S. and B. Chandna, Direction of arrival estimation using stochastic model order reduction via state space modeling 23 (2) (1991) 157-177
- Prasad, S., *see* H. Parthasarathy 37 (2) (1994) 171-188
- Prechtel, R., *see* F. Kummert 32 (1-2) (1993) 111-145
- Prost, R., *see* G. Thomas 23 (1) (1991) 89-98
- Qian, S and J.M. Morris, Wigner Distribution decomposition and cross-terms deleted representation 27 (2) (1992) 125-144

- Qian, S., K., Chen and S. Li, Optimal biorthogonal functions for finite discrete-time Gabor expansion 27 (2) (1992) 177-185
- Qian, S. and D. Chen, Signal representation using adaptive normalized Gaussian functions 36 (1) (1994) 1-11
- Qian, W. and D.M. Titterton, Pixel labelling for three-dimensional scenes based on Markov mesh models 22 (3) (1991) 313-328
- Qiu, L. and A.C. Tsoi, The relationship between a time-varying model of non-stationary signals and its Wigner distribution 32 (3) (1993) 305-314
- Quesada-Molina, J.J., *see* R. Román-Roldán 24 (1) (1991) 77-91
- Raghuramireddy, D. and R. Unbehauen, New structures for complex digital filters 25 (1) (1991) 23-34
- Rahgozar, M.A. and J.P. Allebach, A general theory of time-sequential sampling 28 (3) (1992) 253-270
- Rajala, S.A., *see* I.M. Abdelqader 28 (3) (1992) 291-309
- Ramachandran, R.P. and P. Kabal, Transmultiplexers: Perfect reconstruction and compensation of channel distortion 21 (3) (1990) 261-274
- Ramachandran, R.P. and S. Sunder, A unified and efficient least-squares design of linear-phase nonrecursive filters 36 (1) (1994) 41-53
- Ramachandran, V., *see* S. Sunder 39 (1-2) (1994) 79-88
- Ramamurthi, B., *see* S. David 25 (1) (1991) 69-80
- Ramponi, G. and P. Fontanot, Enhancing document images with a quadratic filter 33 (1) (1993) 23-34
- Ramponi, G., *see* F. Russo 38 (3) (1994) 429-440
- Rault, J.B., *see* T. De Couasnon 39 (1-2) (1994) 1-32
- Raz, S., *see* J. Wexler 21 (3) (1990) 207-220
- Raz, S., *see* S. Farkash 34 (3) (1993) 283-295
- Raz, S., *see* D. Adler 39 (1-2) (1994) 179-191
- Reddy, D.C., *see* V. Hari Krishna 31 (1) (1993) 81-89
- Reddy, G.R. and M.N.S. Swamy, Hilbert transform relations for complex signals 22 (2) (1991) 215-219
- Reddy, G.R., *see* S.V. Narasimhan 27 (1) (1992) 79-86
- Reddy, M.S. and S.N. Hazra, Equiripple approximation design using first order McClellan transformation 21 (1) (1990) 87-91
- Reddy, V.U., *see* H. Srinath 23 (3) (1991) 245-256
- Reddy, V.U., *see* G. Sharma 37 (1) (1994) 73-85
- Regalia, P.A., *see* M.G. Bellanger 22 (2) (1991) 115-219
- Regalia, P.A., *see* M. Renfors 29 (2) (1992) 173-181
- Regazzoni, C.S., *see* G.L. Foresti 32 (1-2) (1994) 217-255
- Regazzoni, C.S., F. Arduini and G. Vernazza, A multilevel GMRF-based approach to image segmentation and restoration 34 (1) (1993) 43-67
- Regincós, J., *see* E. Martí 39 (1-2) (1994) 91-110
- Reiss, T.H., Object recognition using algebraic and differential invariants 32 (3) (1993) 367-395
- Ren, Z., *see* H. Schütze 27 (3) (1992) 317-332
- Ren, Z. and H. Schütze, A stabilized fast transversal filters algorithm for recursive least squares adaptive filtering 39 (3) (1994) 235-246
- Renfors, M., S.K. Mitra, P.A. Regalia and Y. Neuvo, Generalized doubly complementary IIR digital filters 29 (2) (1992) 173-181
- Restrepo, J., *see* T.A. De Pérez 38 (2) (1994) 187-195

| | | | |
|--|----|--------------|---------|
| Riba, J. and G. Vázquez, Bayesian recursive estimation of frequency and timing exploiting the cyclostationarity property | 40 | (1) (1994) | 21- 37 |
| Ries, S., On the reconstruction of signals by a finite number of samples | 23 | (1) (1991) | 45- 68 |
| Ries, S., Reconstruction of real and analytic band-pass signals from a finite number of samples | 33 | (3) (1993) | 237-257 |
| Ritzerfeld, J.H.F., <i>see</i> H.J. Butterweck | 26 | (3) (1992) | 369-379 |
| Rivera, F.F., <i>see</i> E.L. Zapata | 21 | (1) (1990) | 49- 60 |
| Rivera, F.F., <i>see</i> E.L. Zapata | 27 | (1) (1992) | 51- 64 |
| Roberto, V., Intelligent systems for signal and image understanding | 32 | (1-2) (1993) | 1- 4 |
| Roberto, V., Knowledge-based understanding of signals: An introduction | 32 | (1-2) (1993) | 29- 56 |
| Rogozkin, I.B., <i>see</i> S.C. Scoular | 30 | (1) (1993) | 85-101 |
| Rojewski, M., <i>see</i> E. Hermanowicz | 25 | (1) (1991) | 1- 9 |
| Román-Roldán, R., J. J. Quesada-Molina and J. Martínez-Aroza, Multiresolution-information analysis for images | 24 | (1) (1991) | 77- 91 |
| Roncella, R., R. Saletti, P. Terreni and C. Toncelli, Single-chip adaptive FIR filter for acoustic echo canceller board | 27 | (3) (1992) | 347-358 |
| Ronse, C., Why mathematical morphology needs complete lattices | 21 | (2) (1990) | 129-154 |
| Ronse, C. and B. Macq, Morphological shape and region description | 25 | (1) (1991) | 91-105 |
| Ronsin, J., Block coding for television at 34 Mbit/s | 22 | (2) (1991) | 187-198 |
| Rosenfeld, D. and B. Porat, Mapping of radiation sources by multiple sensor arrays | 30 | (1) (1993) | 31- 47 |
| Rossille, D., <i>see</i> J. Le Roux | 36 | (3) (1994) | 375-390 |
| Rouhi, A., <i>see</i> M. Farooq | 30 | (2) (1993) | 221-233 |
| Roysam, B., <i>see</i> A.K. Bhattacharjya | 28 | (3) (1992) | 335-348 |
| Ruiz, D.P., <i>see</i> A. Gallego | 37 | (3) (1994) | 381-388 |
| Ruiz Mezcuca, B., <i>see</i> L. Vergara Domínguez | 22 | (3) (1991) | 239-250 |
| Russo, F. and G. Ramponi, Nonlinear fuzzy operators for image processing | 38 | (3) (1994) | 429-440 |
| Rutkowska, U., A simple algorithm for the bit-reversal permutation | 23 | (3) (1991) | 313-317 |
| Sabharwal, S., <i>see</i> B. Kumar | 39 | (3) (1994) | 247-262 |
| Sagerer, G., <i>see</i> F. Kummert | 32 | (1-2) (1993) | 111-145 |
| Salembier, P., Adaptive rank order based filters | 27 | (1) (1992) | 1- 25 |
| Salembier, P. and M. Kunt, Size-sensitive multiresolution decomposition of images with rank order based filters | 27 | (2) (1992) | 205-241 |
| Salembier, P., Editorial | 38 | (1) (1994) | 1- 2 |
| Salembier, P., <i>see</i> M. Pardás | 38 | (1) (1994) | 31- 43 |
| Salembier, P., Morphological multiscale segmentation for image coding | 38 | (3) (1994) | 359-386 |
| Salerno, E. and A. Tonazzini, 2D image reconstruction from sparse line-integral data | 23 | (2) (1991) | 193-203 |
| Salerno, E., <i>see</i> L. Bedini | 32 | (3) (1993) | 397-408 |
| Saletti, R., <i>see</i> R. Roncella | 27 | (3) (1992) | 347-358 |
| Samin, J.-C., <i>see</i> L.-S. Kung | 32 | (1-2) (1993) | 191-200 |
| Sankur, B., <i>see</i> E. Anarim | 30 | (3) (1993) | 271-277 |
| Sano, A., Optimally regularized inverse of singular value decomposition and application to signal extrapolation | 30 | (2) (1993) | 163-176 |
| Saoudi, S., J.M. Boucher and A. Le Guyader, A new efficient algorithm to compute the LSP parameters for speech coding | 28 | (2) (1992) | 201-212 |
| Santini, S., <i>see</i> A. Del Bimbo | 32 | (1-2) (1993) | 147-160 |

- Sarkar, T.K., *see* Y. Hua 21 (2) (1990) 195-198
- Sarkar, T.K., *see* Y. Hua 28 (1) (1992) 109-115
- Sarkar, T.K., *see* S. Choi 29 (3) (1992) 319-333
- Sarkar, T.K., *see* S. Choi 34 (3) (1993) 297-310
- Schaefer, C.H., *see* P.W. Lux 22 (3) (1991) 299-311
- Scharf, L.L., The SVD and reduced rank signal processing 25 (2) (1991) 113-133
- Scharf, L.L. and L.T. McWhorter, Geometry of the Cramer-Rao bound 31 (3) (1993) 301-311
- Schatzberg, A., A.J. Devaney and A.J. Witten, Estimating target location from scattered field data 40 (2-3) (1994) 227-237
- Schlereth, A., Compensation of co- and adjacent-channel interference in FM receivers 36 (2) (1994) 201-208
- Schmitt, M., *see* L. Najman 38 (1) (1994) 99-112
- Schroeder, J., R. Yarlagadda and J. Hershey, L_p normed minimization with applications to linear predictive modeling for sinusoidal frequency estimation 24 (2) (1991) 193-216
- Schütze, H. and Z. Ren, Numerical characteristics of fast recursive least squares transversal adaptation algorithms - A comparative study 27 (3) (1992) 317-332
- Schütze, H., *see* Z. Ren 39 (3) (1994) 235-246
- Schulist, M., FIR filter design with additional constraints using complex Chebyshev approximation 33 (1) (1993) 111-119
- Scoular, S.C. and W.J. Fitzgerald, Periodic nonuniform sampling of multiband signals 28 (2) (1992) 195-200
- Scoular, S.C. and W.J. Fitzgerald, Analytic sampling of bandpass signals 29 (1) (1992) 67-76
- Scoular, S.C., I.B. Rogozkin and M.S. Chernyakov, Review of Soviet research on linear time-variant discrete systems 30 (1) (1993) 85-101
- Sebastiani, G. and P. Barone, Mathematical principles of basic magnetic resonance imaging in medicine 25 (2) (1991) 227-250
- Semyonova, N.Y., *see* V.Y. Zagursky 21 (2) (1990) 155-168
- Sereno, D., *see* R. Ceruti 27 (3) (1992) 255-256
- Serra, J., Morphological filtering: An overview 38 (1) (1994) 3-11
- Shah, H., S.C. Dutta Roy and B. Kumar, On the design of efficient second and higher degree FIR digital differentiators at the frequency $\pi/(\text{any integer})$ 27 (2) (1992) 117-124
- Shahein, H.I. and H.M. Abbas, ECG data compression via cubic-splines and scan-along polygonal approximation 35 (3) (1994) 269-283
- Shamai (Shitz), S. and N. Chayat, The autocorrelation function of a peak-power-limited process 24 (2) (1991) 127-136
- Shamsunder, S. and G.B. Giannakis, Modeling of non-Gaussian array data using cumulants: DOA estimation of more sources with less sensors 30 (3) (1993) 279-297
- Sharfer, I. and H. Messer, A suboptimal estimator of the sampling jitter variance using the bispectrum 38 (2) (1994) 169-186
- Sharma, G. and V.U. Reddy, A DFT based alternating projection algorithm for parameter estimation of superimposed complex sinusoids 37 (1) (1994) 73-85
- Shen, J. and S. Castan, Towards the unification of band-limited derivative operators for edge detection 31 (2) (1993) 103-119
- Shyu, J.-J., *see* S.-C. Pei 26 (1) (1992) 119-129
- Shyu, J.-J., S.-C. Pei and K.-C. Fu, Complex Lagrange multiplier approach to the design of arbitrary complex coefficient FIR digital filters 35 (2) (1994) 117-130
- Shyu, J.-J., *see* S.-C. Pei 37 (1) (1994) 87-94

| | |
|---|-------------------------|
| Shyu, J.-J. and S.-C. Pei, A new approach to the design of complex all-pass IIR digital filters | 40 (2-3) (1994) 207-215 |
| Sibul, L.H., <i>see</i> J.A. Tague | 29 (3) (1992) 299-307 |
| Sim, S.L., <i>see</i> M.H. Er | 34 (3) (1993) 323-334 |
| Simaan, M., <i>see</i> W.W. Boles | 21 (1) (1990) 37-47 |
| Šimonytė, V., <i>see</i> P. Stoica | 26 (2) (1992) 205-220 |
| Sinha, D., <i>see</i> E.R. Dougherty | 38 (1) (1994) 21-29 |
| Sinha, S.N., <i>see</i> S.N. Jagadeesha | 39 (1-2) (1994) 69-78 |
| Siu, W.-C., <i>see</i> Y.-H. Chan | 37 (3) (1994) 357-363 |
| Slock, D.T.M. and T. Kailath, A modular multichannel multiexperiment fast transversal filter RLS algorithm | 28 (1) (1992) 25-45 |
| Slock, D.T.M. and T. Kailath, A modular prewindowing framework for covariance FTF RLS algorithms | 28 (1) (1992) 47-61 |
| Slock, D.T.M. and K. Maouche, The fast subsampled-updating recursive least-squares (FSU RLS) algorithm for adaptive filtering based on displacement structure and the FFT | 40 (1) (1994) 5-20 |
| Sloth, P.H., <i>see</i> E.R. Dougherty | 29 (3) (1992) 265-281 |
| Snyder, W.E., <i>see</i> I.M. Abdelqader | 28 (3) (1992) 291-309 |
| Söderström, T., <i>see</i> P. Stoica | 24 (1) (1991) 93-103 |
| Söderström, T., <i>see</i> P. Stoica | 26 (2) (1992) 205-220 |
| Söderström, T., <i>see</i> P. Stoica | 29 (3) (1992) 309-317 |
| Söderström, T., <i>see</i> P. Händel | 35 (2) (1994) 131-139 |
| Söderström, T., <i>see</i> J. Ängeby | 39 (3) (1994) 277-292 |
| Solé, P., <i>see</i> J. Le Roux | 35 (1) (1994) 75-81 |
| Soltanian-Zadeh, H. and A.E. Yagle, A fast algorithm for extrapolation of discrete-time periodic band-limited signals | 33 (2) (1993) 183-196 |
| Son, J.C., <i>see</i> I. Song | 23 (1) (1991) 79-88 |
| Son, J.C. and I. Song, Detection of composite signals: Part II. Examples and performance comparison | 23 (3) (1991) 299-312 |
| Son, J.C., S.Y. Kim, I. Song and H.M. Kim, A fuzzy set theoretic approach to weak known-signal detection | 28 (2) (1992) 183-194 |
| Son, J.C., S.Y. Kim, I. Song and Y.K. Jhee, Statistical characteristics and performance analysis of locally optimum fuzzy detector for known signals | 33 (3) (1993) 259-268 |
| Song, I., <i>see</i> J. Kim | 21 (4) (1990) 315-321 |
| Song, I., J.C. Son and K.Y. Lee, Detection of composite signals: Part I. Locally optimum detector test statistics | 23 (1) (1991) 79-88 |
| Song, I. and T.S. Oh, Approximation of optimum quantizer-detector using a uniform quantizer and a coder | 25 (3) (1991) 345-359 |
| Song, I., <i>see</i> J.C. Son | 23 (3) (1991) 299-312 |
| Song, I., <i>see</i> Y. Han | 25 (3) (1991) 337-344 |
| Song, I., <i>see</i> J.C. Son | 28 (2) (1992) 183-194 |
| Song, I., <i>see</i> J. Choi | 30 (1) (1993) 123-131 |
| Song, I., <i>see</i> J.C. Son | 33 (3) (1993) 259-268 |
| Song, I., <i>see</i> J. Choi | 34 (2) (1993) 179-192 |
| Song, I., <i>see</i> J. Choi | 34 (2) (1993) 193-205 |
| Sood, A.K., <i>see</i> V.A. Topkar | 26 (3) (1992) 307-334 |
| Sorouchyari, E., Blind separation of sources, Part III: Stability analysis | 24 (1) (1991) 21-29 |

- Spanias, A.S., A hybrid transform method for analysis/synthesis of speech 24 (2) (1991) 217-229
- Spencer, N.M., *see* V.V. Anh 24 (2) (1991) 137-147
- Spencer, N.M., *see* V.V. Anh 25 (1) (1991) 51- 68
- Srinath, H. and V.U. Reddy, Analysis of MUSIC algorithm with sensor gain and phase perturbations 23 (3) (1991) 245-256
- Srinivasan, V., P. Bhatia and S.H. Ong, A fast implementation of the discrete 2-D Gabor transform 31 (2) (1993) 229-233
- Stainhaouer, G.N. and G. Carayannis, Character generation and scaling through fast transform techniques 23 (1) (1991) 1- 14
- Starck, J.-L. and A. Bijaoui, Filtering and deconvolution by the wavelet transform 35 (3) (1994) 195-211
- Stark, J.A. and W.J. Fitzgerald, Model-based adaptive histogram equalization 39 (1-2) (1994) 193-200
- Steidl, G., Chebyshev polynomial derivation of composite-length DCT algorithms 29 (1) (1992) 17- 27
- Stellakis, H.M. and E.S. Manolakos, An array of processors for the real-time estimation of fourth- and lower-order moments 36 (3) (1994) 341-354
- Sternad, M., *see* A. Ahlén 35 (1) (1994) 51- 58
- Stoica, P. and R.L. Moses, On biased estimators and the unbiased Cramér-Rao lower bound 21 (4) (1990) 349-350
- Stoica, P. and T. Söderström, On spectral and root forms of sinusoidal frequency estimators 24 (1) (1991) 93-103
- Stoica, P. and R.L. Moses, On the unit circle problem: The Schur-Cohn procedure revisited 26 (1) (1992) 95-118
- Stoica, P., T. Söderström and V. Šimonytė, On estimating the noise power in array processing 26 (2) (1992) 205-220
- Stoica, P., Söderström, T. and S. Van Huffel, On SVD-based and TLS-based high-order Yule-Walker methods of frequency estimation 29 (3) (1992) 309-317
- Stoica, P., List of references on spectral line analysis 31 (3) (1993) 329-340
- Stoica, P., *see* A. Eriksson 31 (3) (1993) 349-353
- Stoica, P., *see* P. Händel 35 (2) (1994) 131-139
- Stoica, P., *see* A. Eriksson 38 (2) (1994) 223-229
- Stoica, P., *see* J. Ängeby 39 (3) (1994) 277-292
- Strintzis, M.G., Optimal filters for the generation of multiresolution sequences 39 (1-2) (1994) 55- 68
- Suen, C.Y., *see* L. Lam 22 (2) (1991) 199-208
- Suguimoto, M., *see* S. Hayashi 35 (3) (1994) 285-293
- Sukissian, L., S. Kollias and Y. Boutalis, Adaptive classification of textured images using linear prediction and neural networks 36 (2) (1994) 209-232
- Sun, D.X., L. Deng and C.F.J. Wu, State-dependent time warping in the trended hidden Markov model 39 (3) (1994) 263-275
- Sun, T., M. Gabbouj and Y. Neuvo, Center weighted median filters: Some properties and their applications in image processing 35 (3) (1994) 213-229
- Sun, T., M. Gabbouj, and Y. Neuvo, Adaptive *L*-filters with applications in signal and image processing 38 (3) (1994) 331-344
- Sun, W. and T. Yahagi, Adaptive overfitting lattice filter for parameter estimation of time-varying systems 29 (1) (1992) 45- 56
- Sunder, S., *see* R.P. Ramachandran 36 (1) (1994) 41- 53
- Sunder, S. and V. Ramachandran, Design of recursive differentiators with constant group-delay characteristics 39 (1-2) (1994) 79- 88

- Sunwoo, J.S. and C.K. Un, Recursive modified Gram-Schmidt algorithm for linear phase filtering 22 (1) (1991) 43-51
- Swami, A., Multiplicative noise models: Parameter estimation using cumulants 36 (3) (1994) 355-373
- Swamy, M.N.S., *see* D. Wulich 21 (2) (1990) 183-194
- Swamy, M.N.S., *see* G.R. Reddy 22 (2) (1991) 215-219
- Swamy, M.N.S., *see* S.V. Narasimhan 27 (1) (1992) 79-86
- Swamy, M.N.S., *see* E.I. Plotkin 37 (2) (1994) 203-213
- Swamy, M.N.S., *see* P.-Y. Zhao 37 (2) (1994) 275-285
- Tacconi, E.J. and J.J. Carasi, Noise power estimation and overlapped signal detection 23 (2) (1991) 145-155
- Tacconi, E.J., *see* R. Ojeda 37 (1) (1994) 141-146
- Taflin, E., *see* P. Chauvet 32 (1-2) (1993) 161-190
- Tague, J.A., L.H. Sibul and A.N. Mirkin, Matrix representations of propagation and scattering operations 29 (3) (1992) 299-307
- Taliercio, M., *see* A. Chimienti 28 (2) (1992) 153-162
- Tan, K.-C. and A.P.-C. Ng, A comparison of two approaches for improving direction-of-arrival estimates in the presence of non-white noise 31 (2) (1993) 203-214
- Tan, K.-C., G.-L. Oh and M.H. Er, A study of the uniqueness of steering vectors in array processing 34 (3) (1993) 245-256
- Tan, K.-C., M.H. Er and G.-L. Oh, A new measure for assessing the accuracy of direction-of-arrival estimate 35 (3) (1994) 295-303
- Tang, H.K., *see* S.N. Koh 24 (3) (1991) 283-289
- Tanimoto, S.L., *see* G. Borgefors 21 (1) (1990) 61-86
- Tasič, J., D. Caf and M. Gušev, Solving linear systems of equations 31 (1) (1993) 91-96
- Tekalp, A.M., Editorial/Biography 28 (3) (1992) 227-229
- Tekalp, A.M., The Seventh MDSP Workshop 28 (3) (1992) 231-237
- Terreni, P., *see* R. Roncella 27 (3) (1992) 347-358
- Theodoridis, S. and A. Liavas, Highly concurrent algorithm for the solution of ρ -Toeplitz system of equations 24 (2) (1991) 165-176
- Theodoridis, S., *see* A. Liavas 35 (3) (1994) 241-255
- Theodoridis, S., *see* S.S. Nikolaidis 39 (1-2) (1994) 215-222
- Theodoridis, S., *see* C.P. Callender 40 (2-3) (1994) 325-333
- Thomas, G. and R. Prost, Iterative constrained deconvolution 23 (1) (1991) 89-98
- Titlebaum, E.L., *see* V.A. Topkar 22 (2) (1991) 127-137
- Titterington, D.M., *see* W. Qian 22 (3) (1991) 313-328
- Tiunov, S., *see* A. Zayezdny 32 (3) (1993) 285-303
- Tiunov, S., *see* A. Zayezdny 38 (2) (1994) 231-237
- Tommasi, T., A. Diaspro and B. Bianco, 3-D reconstruction in optical microscopy by a frequency-domain approach 32 (3) (1993) 357-366
- Tonazzini, A., *see* E. Salerno 23 (2) (1991) 193-203
- Tonazzini, A., *see* L. Bedini 32 (3) (1993) 397-408
- Toncelli, C., *see* R. Roncella 27 (3) (1992) 347-358
- Topkar, V.A., S.K. Mullick and E.L. Titlebaum, Invariant transformation of the t - ω plane with respect to Wigner distribution 22 (2) (1991) 127-137
- Topkar, V.A. and A.K. Sood, Statistical analysis of scale-space 26 (3) (1992) 307-334
- Torres-Urgell, L. and R. Lynn Kirlin, Adaptive image compression using Karhunen-Loeve Transform 21 (4) (1990) 303-313

- Torresani, B., *see* C. Gonnet 37 (3) (1994) 389-404
- Tribillon, G., *see* C. Pieralli 40 (2-3) (1994) 217-225
- Trucco, E., Part segmentation of slice data using regularity 32 (1-2) (1993) 73-90
- Tsanakas, P., *see* G. Papakonstantinou 37 (3) (1994) 415-423
- Tsekov, L., *see* P. Iliev 30 (3) (1993) 373-384
- Tseng, C.-C. *see* S.-C. Pei 33 (1) (1993) 95-110
- Tseng, C.-C., *see* S.-C. Pei 39 (1-2) (1994) 117-130
- Tsihrintzis, G.A. and A.J. Devaney, Stochastic diffraction tomography: Theory and computer simulation 30 (1) (1993) 49-64
- Tsoi, A.C., *see* L. Qiu 32 (3) (1993) 305-314
- Tziritas, G., *see* J.C. Pesquet 31 (1) (1993) 1-15
- Udaya Shankar, H.R., *see* P.S. Naidu 29 (3) (1992) 213-223
- Un, C.K., *see* J.S. Sunwoo 22 (1) (1991) 43-51
- Un, C.K., *see* S. Park 24 (3) (1991) 299-317
- Un, C.K., *see* S.K. Oh 25 (3) (1991) 381-389
- Un, C.K. *see* O.W. Kwon 26 (2) (1992) 185-196
- Un, C.K., *see* W.S. Youn 34 (1) (1993) 109-121
- Un, C.K., *see* B.J. Min 37 (1) (1994) 61-72
- Unbehauen, R., *see* D. Raghuramireddy 25 (1) (1991) 23-34
- Unser, M., *see* L. Dong 22 (1) (1991) 95-105
- Unser, M., An improved least squares Laplacian pyramid for image compression 27 (2) (1992) 187-203
- Unser, M., *see* A. Aldroubi 28 (2) (1992) 127-138
- Unser, M., A. Aldroubi and M. Eden, A family of polynomial spline wavelet transforms 30 (2) (1993) 141-162
- Unser, M. and M. Eden, FIR approximations of inverse filters and perfect reconstruction filter banks 36 (2) (1994) 163-174
- Ur, H., *see* D. Gold 30 (1) (1993) 103-113
- Vaccaro, R.J., Preface 25 (2) (1991) 111-112
- Vaccaro, R.J., *see* F. Li 25 (2) (1991) 147-169
- Vainio, O. *see* T.I. Laakso 33 (1) (1993) 81-93
- Van den Boomgaard, R., *see* L. Dorst 38 (1) (1994) 79-98
- Van der Woude, J., System identification of lossless layered media from input-output data 22 (3) (1991) 269-285
- Van Dooren, P., *see* A.W. Bojanczyk 25 (1) (1991) 189-201
- Van Dooren, P., *see* M. Moonen 25 (2) (1991) 203-213
- Van Huffel, S., *see* P. Stoica 29 (3) (1992) 309-317
- Van Huffel, S., Enhanced resolution based on minimum variance estimation and exponential data modeling 33 (3) (1993) 333-355
- Van Meer, A.C.P., *see* H.J. Butterweck 26 (3) (1992) 369-379
- Van Veen, B.D., *see* R.D. Nowak 38 (3) (1994) 417-428
- Vandendorpe, L., CQF filter banks matched to signal statistics 29 (3) (1992) 237-249
- Vandewalle, J., *see* M. Moonen 21 (1) (1990) 1-15
- Vandewalle, J., *see* M. Moonen 25 (2) (1991) 203-213
- Vanpoucke, F., M. Moonen, and E.F. Deprettere, Direction finding of multiple wide-band emitters using state-space modeling 40 (1) (1994) 39-52


- Värri, A., *see* J. Neejärvi 31 (2) (1993) 181-190
- Vázquez, G., *see* J. Riba 40 (1) (1994) 21- 37
- Veinović, M.DJ., B.D. Kovačević and M.M. Milosavljević, Robust non-recurs-
sive AR speech analysis 37 (2) (1994) 189-201
- Velez, E.F. and R.G. Absher, Parametric modeling of the Wigner half-kernel and
its application to spectral estimation 26 (2) (1992) 161-175
- Venetsanopoulos, A.N., *see* N.B. Karayiannis 25 (3) (1991) 259-288
- Venetsanopoulos, A.N., *see* F. Argenti 39 (3) (1994) 333-346
- Venkaiah, V.Ch. and A. Paulraj, Subspace rotation using modified Householder
transforms and projection matrices - Robustness of DOA algorithms 36 (1) (1994) 91- 98
- Vergara Domínguez, L., J.M. Páez Borrillo, J. Portillo García and B. Ruiz
Mezcua, A general approach to the automatic classification of radiocom-
munication signals 22 (3) (1991) 239-250
- Vernazza, G., *see* G.L. Foresti 32 (1-2) (1993) 217-255
- Vernazza, G., *see* C.S. Regazzoni 34 (1) (1993) 43- 67
- Vernazza, G., A new splitting strategy for adaptive transform coding 34 (3) (1993) 335-340
- Vesin, J.M., A nonlinear autoregressive signal model with state-dependent gain 26 (1) (1992) 37- 48
- Vesin, J.M., *see* M. Karrakchou 27 (1) (1992) 99-107
- Viberg, M., Sensitivity of parametric direction finding to colored noise fields and
undermodeling 34 (2) (1993) 207-222
- Vidal, J., *see* M. Karrakchou 27 (1) (1992) 99-107
- Vidal, J. and J.A.R. Fonollosa, Causal AR modeling using a linear combination
of cumulant slices 36 (3) (1994) 329-340
- Villanueva, J.J., *see* E. Martí 32 (1-2) (1993) 91-110
- Vincent, L., Morphological transformations of binary images with arbitrary
structuring elements 22 (1) (1991) 3- 23
- Vougioukas, S., *see* I. Pitas 25 (3) (1991) 319-335
- Vray, D., *see* G. Gimenez 33 (1) (1993) 57- 65
- Waldo, D. and P.R. Chitrapu, On the Wigner Ville distribution of finite
duration signals 24 (2) (1991) 231-237
- Wang, C.-L. and R.-Y. Chen, Optimum design of the LMS algorithm using two
step sizes for adaptive FIR filtering 26 (2) (1992) 197-204
- Wang, H., *see* L. Cai 23 (1) (1991) 27- 34
- Wang, L., *see* Z. Wang 26 (1) (1992) 131-137
- Wang, Q., M. Gabbouj and Y. Neuvo, Root properties of morphological filters 34 (2) (1993) 131-148
- Wang, Y. and W. Lu, Multiobjective optimization approach to image recon-
struction from projections 26 (1) (1992) 17- 26
- Wang, Z. and L. Wang, Interpolation using the fast discrete sine transform 26 (1) (1992) 131-137
- Wang, Z., G.A. Jullien and W.C. Miller, The generalized discrete W transform
and its application to interpolation 36 (1) (1994) 99-109
- Weber, W.E., *see* M.J. Hinich 37 (2) (1994) 215-228
- Wegman, E.J., *see* H.T. Le 33 (1) (1993) 35- 44
- Wehrmann, R., Editorial 27 (3) (1992) 253-254
- Weiss, A.J. and B. Friedlander, Array shape calibration using eigenstructure
methods 22 (3) (1991) 251-258
- Weng, S.-F., *see* L.H. Chen 24 (1) (1991) 43- 59
- Wexler, J. and S. Raz, Discrete Gabor expansions 21 (3) (1990) 207-220

- Wichman, R., J. Lilleberg and Y. Neuvo, Matched median detectors for multiple-access channels 38 (3) (1994) 345-357
- Wichman, R., J. Lilleberg and Y. Neuvo, Erratum to "Matched median detectors for multiple-access channels" 40 (2-3) (1994) 341
- Wilkes, D.M., *see* J.A. Cadzow 25 (2) (1991) 171-188
- Williamson, R.C., B. James, B.D.O. Anderson and P.J. Kootsookos, Threshold effects in multiharmonic maximum likelihood frequency estimation 37 (3) (1994) 309-331
- Willsky, A.S., *see* T.M. Chin 28 (3) (1992) 311-333
- Willsky, A.S., *see* K.C. Chou 34 (3) (1993) 257-282
- Witten, A.J., *see* A. Schatzberg 40 (2-3) (1994) 227-237
- Wolfe, L.B. and C.-I. Chang, A simple method for calculating the rate distortion function of a source with an unknown parameter 33 (2) (1993) 209-221
- Wu, C.F.J., *see* D.X. Sun 39 (3) (1994) 263-275
- Wu, J.-L. and Y.-M. Huang, A novel modularized fast polynomial transform algorithm for two-dimensional convolutions 26 (1) (1992) 27-36
- Wu, J.-L., *see* G.-S. Chen 33 (2) (1993) 235-236
- Wu, J.-L., *see* G.-S. Chen 34 (1) (1993) 123-129
- Wu, J.-L., *see* M.-C. Yang 40 (2-3) (1994) 295-306
- Wu, M.-C., *see* L.-W. Chang 31 (3) (1993) 341-347
- Wulich, D., E.I. Plotkin and M.N.S. Swamy, Discrete time-varying filter and PLL for synchronous estimation of parameters of a sine signal corrupted by a closely spaced FM interference 21 (2) (1990) 183-194
- Wulich, D., Hilbert transform of a constant envelope signal using the time-warping technique 31 (1) (1993) 97-101
- Wulich, D. and M. Bukris, Data over voice using time-warping technique 34 (1) (1993) 99-108
- Wulich, D., *see* L. Goldfeld 35 (1) (1994) 41-50
- Xia, X.-G., Z. Zhang and C. Lo, Error analysis of the MMSE estimator for multidimensional band-limited extrapolations from finite samples 36 (1) (1994) 55-69
- Xiang, N., Using *M*-sequences for determining the impulse responses of LTI-systems 28 (2) (1992) 139-152
- Xie, H., *see* J.M. Morris 39 (3) (1994) 317-331
- Yagle, A.E. *see* H. Soltanian-Zadeh 33 (2) (1993) 183-196
- Yagle, A.E., *see* J.-J. Hsue 37 (3) (1994) 405-414
- Yahagi, T., *see* W. Sun 29 (1) (1992) 45-56
- Yang, G., *see* R. Boite 27 (2) (1992) 109-116
- Yang, G., H. Leich and R. Boite, Multiband code-excited linear prediction (MBCELP) for speech coding 31 (2) (1993) 215-227
- Yang, H. and Y. Hua, Asymptotic properties of 2-D MUSIC estimator and comparison to 2-D estimator 40 (2-3) (1994) 257-268
- Yang, M.-C. and J.-L. Wu, Two-dimensional polynomial residue number system 40 (2-3) (1994) 295-306
- Yang, T.-Y., *see* B.-S. Chen 27 (2) (1992) 161-176
- Yang, T.-Y., *see* B.-S. Chen 28 (2) (1992) 213-223
- Yao, K., *see* S. Erlich 37 (1) (1994) 1-13
- Yarlagadda, R., *see* J. Schroeder 24 (2) (1991) 193-216
- Yaroslavsky, L. and M. Eden, Correlational accumulation as a method for signal restoration 39 (1-2) (1994) 89-106

- Yau, S.F. and Y. Bresler, Maximum likelihood parameter estimation and subspace fitting of superimposed signals by dynamic programming – An approximate method 29 (3) (1992) 283–298
- Yegnanarayana, B., *see* S.T. Fathima 21 (1) (1990) 17– 24
- Yegnanarayana, B., *see* H.A. Murthy 22 (3) (1991) 259–267
- Yeh, M.-H., *see* S.-C. Pei 40 (2–3) (1994) 335–340
- Yin, P.-Y. and L.-H. Chen, Random-sampling thresholding: A new approach to multilevel thresholding 34 (3) (1993) 311–322
- Yoganandam, Y., *see* E.I. Plotkin 37 (2) (1994) 203–213
- Youn, W.S. and C.K. Un, Fast adaptive beamforming robust to array imperfections 34 (1) (1993) 109–121
- Yu, S.-J. and J.-H. Lee, Effect of random weight errors on the performance of partially adaptive array beamformers 37 (3) (1994) 365–380
- Yu, X., N.K. Loh and W.C. Miller, An improved digit-reversal permutation algorithm 32 (3) (1993) 409–415
- Zagursky, V.Y. and N.Y. Semyonova, Investigating the non-linearity of analog-digital converters 21 (2) (1990) 155–168
- Zaki, F.W., Learning characteristics of a new adaptive line spectral pair filter 25 (3) (1991) 373–379
- Zapata, E.L., J.I. Benavides, O.G. Plata, F.F. Rivera and J.M. Carazo, Image template matching on hypercube SIMD computers 21 (1) (1990) 49– 60
- Zapata, E.L., I. Benavides, F.F. Rivera, J.D. Bruguera, T.F. Pena and J.M. Carazo, Image reconstruction on hypercube computers: Application to electron microscopy 27 (1) (1992) 51– 64
- Zappatore, S., *see* F. Lavagetto 34 (1) (1993) 19– 31
- Zayezdny, A. and I. Druckmann, A new method of signal description and its applications to signal processing 22 (2) (1991) 153–178
- Zayezdny, A. and S. Tiunov, Extrapolation of time series by their structural properties 32 (3) (1993) 285–303
- Zayezdny, A., S. Tiunov and A. Bronstein, Extrapolation of real-time processes by their structural properties 38 (2) (1994) 231–237
- Zerubia, J. and G. Alengrin, Estimation of ARMA(p,q) parameters 22 (1) (1991) 53– 60
- Zhang, Y.J. and J.J. Gerbrands, Objective and quantitative segmentation evaluation and comparison 39 (1–2) (1994) 43– 54
- Zhang, Z., *see* X.-G. Xia 36 (1) (1994) 55– 69
- Zhao, P.-Y., E.I. Plotkin and M.N.S. Swamy, Exponentially fading MLS estimation of two-dimensional noncausal and nonstationary SAR model parameters 37 (2) (1994) 275–285
- Zheng, F.-C., S. McLaughlin and B. Mulgrew, Cumulant-based deconvolution and identification: Several new families of linear equations 30 (2) (1993) 199–219
- Zheng, F.-C., S. McLaughlin and B. Mulgrew, Blind equalisation of multilevel PAM data for nonminimum phase channels via second- and fourth-order cumulants 31 (3) (1993) 313–327
- Zhu, Y.M., R. Goutte and M. Amiel, On the use of two-dimensional Wigner-Ville distribution for texture segmentation 30 (3) (1993) 329–353
- Živanović, G.D. and W.A. Gardner, Degrees of cyclostationarity and their application to signal detection and estimation 22 (3) (1991) 287–297
- Zrilić, D., *see* M. Freedman 21 (1) (1990) 25– 35

- | | | |
|--|----|--------------------|
| Zugmeyer, O. and J.-P. Le Cadre, Jammer cancelling by double Wiener filtering | 33 | (2) (1993) 131-138 |
| Zugmeyer, O. and J.P. Le Cadre, A new approach to the estimation of source motion parameters, Part I | 33 | (3) (1993) 287-314 |
| Zugmeyer, O., <i>see</i> J.P. Le Cadre | 37 | (3) (1994) 425-435 |





Instructions to authors

General. Prospective authors are encouraged to submit manuscripts within the scope of the Journal. To qualify for publication, papers must be previously unpublished and not be under consideration for publication elsewhere. All material should be sent in quadruplicate (original plus three copies) to the Editor-in-Chief. Contributors are reminded that once their contribution has been accepted for publication, all further correspondence should not be sent to the Editor, but directly to the publishers (Editorial Department, Elsevier Science B.V., P.O. Box 1991, 1000 BZ Amsterdam, The Netherlands).

All manuscripts will be assessed by at least two (anonymous) referees.

Upon acceptance of an article, the author(s) will be asked to transfer copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

Accepted languages are English (preferred), French and German. Each contribution should be accompanied by abstracts (see *Abstracts*). Page proofs will be sent to the principal author with an offprint order form. Fifty offprints of each article can be ordered free of charge. Costs arising from alterations in proof, other than of printer's errors, will be charged to the authors.

Short papers not exceeding five typewritten pages will be reviewed immediately. As their proofreading will be done by the publishers and no page proofs will be sent to the authors, their presentation should be very clear.

Typed material (including abstracts, list of references) should be double spaced on one side of A4 size (297 × 210 mm) paper with a wide margin. All pages should be numbered. The first page should include the article title and the author's name and affiliation, as well as a name and mailing address to be used for correspondence and transmission of proofs. The second page should include a list of unusual symbols used in the article and the number of pages, tables and figures. It should also contain the keywords in English.

Abstracts. The text of the paper should be preceded by abstracts of no more than 200 words in English, and, if possible, in French and German. Abstracts should contain the substance of the methods and results of the paper. The abstracts of short papers should be less than 50 words.

Figures. All illustrations are to be considered as figures, and each should be numbered in sequence with Arabic numerals. The drawings of the figures must be originals, drawn in black india ink and carefully lettered, or printed on a high-quality laser printer. Each figure should have a caption and these should be listed on a separate sheet. Care should be taken that lettering on the original is large enough to be legible after reduction. Each figure should be identified. The approximate place of a figure in the text should be indicated in the margin.

Reproduction in colour. In case the author wishes one or more figures to be printed in colour, the *extra* costs arising from such printing will be charged to the author. In this case 200 offprints may be ordered free of charge. More details are available from the Publisher.

Equations. Equations to which reference is made in the text should be numbered; equations should be referred to by citing the equation number enclosed in parentheses. Special care should be taken of those symbols which might easily cause confusion (e.g., 1, l; o, O, 0; κ, k, K; x, X, ×, γ, z, Z; α, α, φ, Φ, φ; τ, t, T, Γ; v, v, V; <, <, (,), >, >; w, ω; P, p, ρ, etc.). All handwritten letters and unusual symbols should be identified in the margin the first time they occur in the text. Mathematical notation should be selected to simplify the typesetting process. In particular, notation calling for symbols appearing one directly over the other, as well as third-order indices, should be avoided.

Tables. Tables should be typed on separate sheets. Each table should have a number and a title. The approximate places for their insertion in the text should be indicated in the margin.

References. References must be in *alphabetical order* in the style shown below:

- | | |
|-------------------------------|--|
| <i>Book</i> | [1] A.V. Oppenheim et al., <i>Digital Signal Processing</i> , Prentice Hall, Englewood Cliffs, NJ, 1975, Chapter 10, pp. 491–499. |
| <i>Journal</i> | [2] F.J. Harris, "On the use of windows for harmonic analysis with the discrete Fourier transform", <i>Proc. IEEE</i> , Vol. 66, No. 1, January 1978, pp. 53–83. |
| <i>Conference Proceedings</i> | [3] D. Coulon and D. Kayser, "A supervised-learning technique to identify short natural language sentence", <i>Proc. 3rd Internat. Joint Conf. on Pattern Recognition</i> , Coronado, CA, 8–11 November 1976, pp. 85–89. |
| <i>Contributed Volume</i> | [4] E.F. Moore, "The firing squad synchronization problem", in: E.F. Moore, ed., <i>Sequential Machines, Selected Papers</i> , Addison Wesley, Reading, MA, 1964, pp. 213–214. |

Footnotes in text. Footnotes in the text should be identified by superscript numbers and listed consecutively on a separate page.

EUROPEAN ASSOCIATION FOR SIGNAL PROCESSING

Administrating Committee

President: U. Heute, LNS/Techn. Fakultät/CAU, Kaiserstraße 2, 24143 Kiel, Germany

Secretary-treasurer: P. Grant, Electrical Engineering, Univ. of Edinburgh, Edinburgh EH9 3JL, UK

Workshops Coordinator: W. Mecklenbräuker, Institut für Nachrichtentechnik, TU Wien, Gußhausstraße 25/389, A-1040 Wien, Austria

Brussels Liaison: J. Vandewalle, Katholieke Universiteit Leuven, Kardinaal Mercierlaan 94, B-3001 Leuven, Belgium

Past President: M. Bellanger, CNAM, 292 rue Saint-Martin, 75141 Paris Cedex 03, France

